

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2021

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN	ELR	D	CLASS CODE	RATE	MIN	ELR	D	CLASS CODE	RATE	MIN	ELR	D
		PREM		RATIO			PREM		RATIO			PREM		RATIO
0005	5.63	1370	1.44	0.37	1925	7.26	1500	1.74	0.34	2688	4.58	1145	1.21	0.38
0008	5.07	1250	1.22	0.34	2002	5.04	1244	1.33	0.38	2701	19.95	1500	4.53	0.31
0016	10.84	1500	2.44	0.30	2003	5.87	1422	1.51	0.37	2702	22.75	1500	4.36	0.26
0034	7.14	1500	1.83	0.37	2014	7.97	1500	1.80	0.30	2709	18.49	1500	4.19	0.30
0035	4.09	1039	1.08	0.38	2016	4.46	1119	1.18	0.38	2710	12.59	1500	2.63	0.27
0036	8.77	1500	2.24	0.37	2021	4.82	1196	1.16	0.34	2714	7.14	1500	1.88	0.38
0037	7.53	1500	1.81	0.34	2039	5.46	1334	1.44	0.38	2731	6.19	1491	1.39	0.30
0042	9.84	1500	2.37	0.34	2041	4.34	1093	1.15	0.38	2735	6.26	1500	1.65	0.38
0050	10.50	1500	2.68	0.37	2065	4.17	1057	1.07	0.37	2759	9.40	1500	2.48	0.38
0059D	0.41	-	0.04	0.30	2070	8.16	1500	2.09	0.37	2790	3.56	925	0.93	0.38
0065D	0.07	-	0.01	0.30	2081	4.97	1229	1.27	0.37	2797	8.01	1500	2.04	0.36
0066D	0.07	-	0.01	0.30	2089	5.29	1297	1.35	0.37	2799	10.26	1500	2.48	0.34
0067D	0.07	-	0.01	0.30	2095	5.90	1429	1.51	0.37	2802	9.18	1500	2.22	0.34
0079	6.41	1500	1.44	0.30	2101	-	-	1.51	0.37	2804	-	-	1.25	0.41
0083	9.84	1500	2.52	0.37	2105	6.67	1500	1.76	0.38	2835	4.17	1057	1.17	0.41
0106	22.00	1500	4.59	0.27	2110	3.43	897	0.91	0.38	2836	5.14	1265	1.44	0.41
0113	7.92	1500	2.02	0.37	2111	4.63	1155	1.22	0.38	2841	5.43	1327	1.43	0.38
0170	5.33	1306	1.36	0.36	2112	6.60	1500	1.74	0.38	2881	4.48	1123	1.25	0.41
0251	6.21	1495	1.59	0.37	2114	4.38	1102	1.15	0.38	2883	5.29	1297	1.35	0.37
0400	-	-	1.02	0.34	2121	2.27	648	0.58	0.37	2913	-	-	1.35	0.37
0401	20.46	A	4.28	0.27	2130	3.29	867	0.84	0.37	2915	6.48	1500	1.57	0.34
0766N	0.95	-	-	-	2143	4.38	1102	1.16	0.38	2916	6.04	1459	1.26	0.27
0771N	1.00	-	-	-	2157	7.48	1500	1.93	0.37	2923	3.34	878	0.88	0.38
0908P	292.00	452	74.96	0.37	2172	2.29	652	0.56	0.34	2942	-	-	0.55	0.41
0913P	1047.00	1207	269.70	0.37	2174	4.97	1229	1.31	0.38	2960	8.57	1500	2.20	0.37
0917	7.14	1500	1.89	0.38	2211	12.40	1500	2.80	0.30	3004	2.05	601	0.46	0.30
1005*	11.27	1500	1.86	0.27	2220	3.75	966	0.96	0.37	3018	3.63	940	0.82	0.30
1016*	25.95	1500	4.06	0.27	2286	-	-	0.96	0.37	3022	6.07	1465	1.61	0.38
1164D	5.43	1327	1.03	0.26	2288	5.77	1401	1.53	0.38	3027	3.19	846	0.72	0.30
1165D	5.01	1237	1.05	0.28	2300	-	-	1.34	0.37	3028	4.41	1108	1.13	0.37
1320	2.53	704	0.53	0.28	2302	4.26	1076	1.09	0.37	3030	6.85	1500	1.54	0.30
1322	16.10	1500	3.37	0.28	2305	3.90	999	0.94	0.34	3040	9.31	1500	2.10	0.30
1420	-	-	1.20	0.28	2361	4.00	1020	1.02	0.36	3041	7.28	1500	1.86	0.37
1430D	6.34	1500	1.33	0.30	2362	3.24	857	0.83	0.37	3042	7.02	1500	1.69	0.34
1438D	10.50	1500	2.11	0.28	2380	3.34	878	0.86	0.37	3064	6.04	1459	1.55	0.37
1452	4.53	1134	1.03	0.30	2386	-	-	1.34	0.37	3076	4.85	1203	1.24	0.37
1463	14.69	1500	3.07	0.27	2388	2.48	693	0.66	0.38	3081D	6.48	1500	1.45	0.30
1472	4.92	1218	1.04	0.28	2402	5.16	1269	1.16	0.30	3082D	7.02	1500	1.56	0.30
1473	1.68	521	0.38	0.30	2413	3.87	992	0.99	0.37	3085D	7.77	1500	1.72	0.30
1474	-	-	1.04	0.28	2416	3.00	805	0.77	0.37	3110	6.58	1500	1.68	0.37
1624D	5.77	1401	1.20	0.28	2417	2.02	594	0.52	0.37	3111	3.63	940	0.93	0.37
1642	3.53	919	0.79	0.30	2501	5.21	1280	1.34	0.37	3113	3.61	936	0.92	0.37
1654	7.36	1500	1.67	0.31	2503	1.85	558	0.49	0.38	3114	5.04	1244	1.29	0.37
1655	-	-	0.79	0.30	2534	-	-	1.34	0.37	3117	-	-	0.96	0.38
1699	7.43	1500	1.67	0.30	2570	5.60	1364	1.48	0.38	3118	3.63	940	0.96	0.38
1701	4.53	1134	1.02	0.30	2585	5.87	1422	1.56	0.38	3119	1.53	489	0.43	0.41
1710D	6.51	1500	1.46	0.30	2586	4.48	1123	1.15	0.37	3120	-	-	1.16	0.37
1741	-	-	1.02	0.30	2587	4.07	1035	1.08	0.38	3122	3.46	904	0.91	0.38
1747	4.14	1050	0.94	0.31	2589	4.97	1229	1.26	0.36	3126	2.27	648	0.58	0.37
1748	8.77	1500	1.97	0.30	2600	6.67	1500	1.77	0.38	3131	3.24	857	0.82	0.36
1803D	12.69	1500	2.55	0.27	2623	11.16	1500	2.69	0.34	3132	5.82	1411	1.48	0.36
1852	-	-	0.68	0.25	2651	3.00	805	0.79	0.38	3145	4.12	1046	1.05	0.37
1853	-	-	1.02	0.30	2660	4.26	1076	1.12	0.38	3146	4.12	1046	1.05	0.37
1860	-	-	1.07	0.37	2670	-	-	1.21	0.38	3169	4.43	1112	1.13	0.37
1924	3.43	897	0.91	0.38	2683	4.70	1171	1.24	0.38	3175	-	-	1.13	0.37

Refer to the special classification section of the **Basic Manual** for any state specific classification phraseology.

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2021

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3179	2.95	794	0.78	0.38	3851	3.61	936	0.96	0.38	4568	6.97	1500	1.56	0.30
3180	3.43	897	0.91	0.38	3865	3.90	999	1.09	0.40	4581	1.61	506	0.34	0.27
3188D	3.43	897	0.90	0.38	3881	6.67	1500	1.70	0.37	4583	6.58	1500	1.38	0.28
3220	2.78	758	0.71	0.37	4000	6.50	1500	1.37	0.28	4611	1.80	547	0.47	0.38
3223	-	-	0.91	0.38	4021	6.60	1500	1.49	0.30	4635	5.41	1323	1.03	0.26
3224	5.16	1269	1.37	0.38	4024D	7.04	1500	1.59	0.30	4653	2.46	689	0.65	0.38
3227	5.14	1265	1.36	0.38	4034	9.33	1500	2.11	0.30	4665	13.69	1500	3.11	0.31
3240	5.38	1317	1.42	0.38	4036	3.56	925	0.80	0.30	4670	-	-	1.72	0.37
3241	6.02	1454	1.53	0.36	4038	4.19	1061	1.18	0.41	4683	6.70	1500	1.72	0.37
3255	3.34	878	0.94	0.41	4053	-	-	1.05	0.37	4686	3.46	904	0.78	0.30
3257	5.90	1429	1.51	0.37	4061	-	-	1.05	0.37	4692	0.97	369	0.26	0.38
3270	4.53	1134	1.16	0.37	4062	4.07	1035	1.05	0.37	4693	1.75	536	0.45	0.37
3300	6.85	1500	1.74	0.36	4101	3.46	904	0.84	0.34	4703	2.83	768	0.72	0.37
3303	3.78	973	1.00	0.38	4109	0.71	313	0.19	0.38	4717	3.39	889	0.95	0.41
3307	4.87	1207	1.25	0.37	4110	1.32	444	0.34	0.37	4720	4.02	1024	1.03	0.37
3315	5.55	1353	1.47	0.38	4111	2.68	736	0.71	0.38	4740	1.53	489	0.35	0.30
3334	3.53	919	0.91	0.37	4113	-	-	0.71	0.38	4741	5.16	1269	1.32	0.37
3336D	3.99	1018	0.89	0.30	4114	4.29	1082	1.10	0.37	4751	4.31	1087	0.97	0.30
3365D	8.57	1500	1.93	0.30	4130	5.63	1370	1.44	0.37	4766N	7.02	1500	1.34	0.26
3372	5.87	1422	1.42	0.34	4131	7.43	1500	1.96	0.38	4771N	5.60	1500	1.06	0.25
3373	7.19	1500	1.84	0.37	4133	3.87	992	1.02	0.38	4777	8.33	1500	1.58	0.25
3383	2.58	715	0.68	0.38	4149	1.05	386	0.30	0.41	4825	1.44	470	0.32	0.30
3385	1.39	459	0.37	0.38	4206	4.68	1166	1.20	0.37	4828	3.05	816	0.74	0.34
3400	5.33	1306	1.29	0.34	4207	3.07	820	0.70	0.31	4829	1.56	495	0.33	0.28
3507	4.63	1155	1.19	0.37	4239	3.56	925	0.81	0.30	4902	3.90	999	1.03	0.38
3515	4.00	1020	1.02	0.37	4240	5.19	1276	1.37	0.38	4923	1.44	470	0.37	0.37
3548	1.90	569	0.49	0.37	4243	3.56	925	0.91	0.37	5020	11.11	1500	2.52	0.30
3559	4.17	1057	1.07	0.37	4244	3.97	1014	1.02	0.37	5022	14.59	1500	3.06	0.28
3574	1.85	558	0.49	0.38	4250	2.73	747	0.70	0.37	5037	31.94	1500	6.13	0.26
3581	1.80	547	0.47	0.38	4251	4.17	1057	1.07	0.37	5040	12.79	1500	2.45	0.26
3612	3.56	925	0.86	0.34	4263	4.92	1218	1.26	0.37	5057	6.14	1480	1.18	0.26
3620	6.02	1454	1.36	0.30	4273	4.00	1020	1.02	0.37	5059	35.01	1500	6.67	0.26
3629	2.29	652	0.60	0.38	4279	4.17	1057	1.07	0.37	5069	-	-	6.67	0.26
3632	4.34	1093	1.05	0.34	4282	-	-	1.07	0.37	5102	9.06	1500	1.90	0.28
3634	2.78	758	0.74	0.38	4283	2.19	631	0.56	0.37	5146	7.60	1500	1.72	0.30
3635	3.68	951	0.94	0.37	4299	2.90	784	0.77	0.38	5160	4.04	1029	0.85	0.28
3638	3.43	897	0.91	0.38	4304	7.28	1500	1.75	0.34	5183	4.97	1229	1.13	0.31
3642	1.88	564	0.48	0.37	4307	2.78	758	0.78	0.41	5188	6.99	1500	1.59	0.30
3643	3.29	867	0.84	0.37	4351	1.41	463	0.36	0.37	5190	5.99	1448	1.35	0.30
3647D	4.48	1123	1.01	0.34	4352	2.83	768	0.74	0.38	5191	1.58	500	0.41	0.37
3648	2.97	799	0.78	0.38	4360	-	-	0.27	0.34	5192	5.80	1407	1.49	0.37
3681	1.44	470	0.38	0.38	4361	1.85	558	0.49	0.38	5213	10.94	1500	2.29	0.27
3685	1.63	510	0.43	0.38	4410	5.21	1280	1.34	0.37	5215	9.52	1500	2.30	0.34
3719	1.80	547	0.35	0.26	4420	6.31	1500	1.32	0.28	5221	8.01	1500	1.81	0.30
3724	5.31	1302	1.11	0.28	4431	2.29	652	0.64	0.41	5222	17.08	1500	3.58	0.28
3726	5.75	1396	1.10	0.26	4432	1.97	584	0.55	0.41	5223	10.55	1500	2.39	0.30
3803	3.85	988	0.99	0.37	4439	-	-	0.68	0.37	5348	6.85	1500	1.55	0.30
3807	4.34	1093	1.15	0.38	4452	5.55	1353	1.42	0.37	5402	9.82	1500	2.60	0.38
3808	8.75	1500	2.12	0.34	4459	4.87	1207	1.25	0.37	5403	9.43	1500	1.98	0.28
3821	15.01	1500	3.62	0.34	4470D	3.84	986	0.98	0.37	5437	10.33	1500	2.34	0.30
3822	5.75	1396	1.38	0.34	4484	4.29	1082	1.10	0.37	5443	9.33	1500	2.40	0.37
3824	8.82	1500	2.12	0.34	4493D	4.34	1093	1.07	0.37	5445	13.96	1500	2.92	0.28
3826	2.90	784	0.75	0.37	4511	1.17	412	0.28	0.34	5462	10.69	1500	2.42	0.30
3827	3.92	1003	0.95	0.34	4557	4.48	1123	1.18	0.38	5472	9.40	1500	1.80	0.26
3830	1.56	495	0.38	0.34	4558D	2.68	736	0.68	0.37	5473	15.98	1500	3.05	0.26

Refer to the special classification section of the **Basic Manual** for any state specific classification phraseology.

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2021

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5474	9.33	1500	1.96	0.28	6874F	26.43	1500	4.72	0.24	7539	3.00	805	0.63	0.28
5478	8.65	1500	1.96	0.30	6882	5.46	1334	1.04	0.26	7540	4.21	1065	0.80	0.26
5479	11.16	1500	2.69	0.34	6884	6.09	1469	1.16	0.26	7570	-	-	0.63	0.28
5480	9.57	1500	2.01	0.28	7016M	4.17	1057	0.80	0.27	7580	4.99	1233	1.13	0.30
5491	4.53	1134	0.95	0.28	7024M	4.63	1155	0.89	0.27	7590	5.14	1265	1.25	0.34
5506	10.09	1500	1.92	0.26	7038M	8.79	1500	1.66	0.25	7600	7.09	1500	1.61	0.31
5507	7.50	1500	1.57	0.28	7046M	14.76	1500	2.82	0.26	7605	3.82	981	0.87	0.30
5508	-	-	1.57	0.28	7047M	5.63	1370	1.05	0.27	7610	1.10	397	0.27	0.34
5535	13.98	1500	3.16	0.30	7050M	11.89	1500	2.16	0.25	7705	11.08	1500	2.68	0.34
5537	8.21	1500	1.86	0.30	7090M	9.77	1500	1.84	0.25	7710	5.99	1448	1.25	0.27
5551	29.65	1500	5.64	0.25	7098M	16.39	1500	3.13	0.26	7711	5.99	1448	1.25	0.27
5606	1.80	547	0.38	0.28	7099M	19.95	1500	3.68	0.26	7720	5.87	1422	1.32	0.30
5610	10.13	1500	2.60	0.37	7133	5.43	1327	1.13	0.28	7855	6.07	1465	1.38	0.30
5645	23.65	1500	4.93	0.27	7151M	6.60	1500	1.38	0.28	8001	4.75	1181	1.25	0.38
5703	22.24	1500	5.01	0.30	7152M	8.92	1500	1.79	0.28	8002	4.09	1039	1.04	0.37
5705	23.12	1500	5.21	0.30	7153M	7.33	1500	1.53	0.28	8006	3.90	999	1.00	0.37
5951	0.68	306	0.18	0.38	7219	13.32	1500	2.81	0.28	8008	2.58	715	0.68	0.38
6003	12.18	1500	2.76	0.30	7222	17.39	1500	3.92	0.30	8010	3.75	966	0.99	0.38
6005	6.58	1500	1.48	0.30	7225	9.65	1500	2.19	0.30	8013	0.71	313	0.18	0.37
6017	-	-	2.29	0.27	7228	-	-	2.81	0.28	8015	1.49	480	0.38	0.37
6018	3.58	930	0.82	0.31	7229	-	-	2.81	0.28	8017	3.09	824	0.81	0.38
6045	8.28	1500	1.88	0.31	7230	13.13	1500	3.18	0.34	8018	4.99	1233	1.32	0.38
6204	12.62	1500	2.65	0.28	7231	14.13	1500	3.42	0.34	8021	4.77	1186	1.22	0.37
6206	4.97	1229	0.95	0.26	7232	16.37	1500	3.46	0.28	8031	4.19	1061	1.07	0.37
6213	2.83	768	0.59	0.28	7309F	19.59	1500	3.52	0.23	8032	3.63	940	0.96	0.38
6214	2.83	768	0.54	0.26	7313F	8.36	1500	1.49	0.24	8033	3.39	889	0.86	0.37
6216	11.72	1500	2.23	0.26	7317F	15.47	1500	2.76	0.24	8037	4.19	1061	1.11	0.38
6217	7.82	1500	1.64	0.28	7327F	30.18	1500	5.42	0.23	8039	2.66	732	0.70	0.38
6229	8.31	1500	1.73	0.27	7333M	4.14	1050	0.80	0.27	8044	6.21	1495	1.50	0.34
6233	5.36	1312	1.13	0.28	7335M	4.60	1149	0.89	0.27	8045	1.41	463	0.38	0.38
6235	9.74	1500	1.87	0.26	7337M	5.60	1364	1.05	0.27	8046	4.43	1112	1.13	0.37
6236	11.79	1500	2.68	0.30	7350F	19.68	1500	3.80	0.25	8047	1.58	500	0.42	0.38
6237	4.34	1093	1.01	0.32	7360	6.77	1500	1.53	0.30	8058	5.72	1390	1.46	0.37
6251D	9.09	1500	1.92	0.29	7370	7.48	1500	1.91	0.37	8072	1.46	474	0.38	0.38
6252D	10.52	1500	2.01	0.27	7380	8.50	1500	2.06	0.34	8102	4.34	1093	1.14	0.38
6260	-	-	1.92	0.29	7382	8.57	1500	2.20	0.37	8103	4.24	1072	1.02	0.34
6306	7.60	1500	1.59	0.28	7390	10.11	1500	2.59	0.37	8105	-	-	1.32	0.38
6319	10.65	1500	2.22	0.27	7394M	6.36	1500	1.23	0.27	8106	7.53	1500	1.70	0.30
6325	7.28	1500	1.53	0.28	7395M	7.06	1500	1.37	0.27	8107	5.07	1250	1.15	0.30
6400	13.28	1500	3.20	0.34	7398M	8.60	1500	1.61	0.27	8111	3.43	897	0.88	0.37
6503	4.82	1196	1.27	0.38	7402	0.34	233	0.09	0.37	8116	5.58	1360	1.42	0.37
6504	5.04	1244	1.34	0.38	7403	4.00	1020	0.91	0.30	8203	10.94	1500	2.81	0.37
6702M*	7.38	1500	1.67	0.30	7405N	1.66	710	0.37	0.31	8204	8.87	1500	2.00	0.30
6703M*	9.96	1500	2.19	0.30	7420	9.04	1500	1.75	0.27	8209	8.16	1500	2.08	0.37
6704M*	8.18	1500	1.86	0.30	7421	1.46	474	0.31	0.28	8215	5.82	1411	1.32	0.30
6801F	5.02	1239	1.02	0.28	7422	2.19	631	0.42	0.26	8227	8.36	1500	1.60	0.26
6811	8.84	1500	2.00	0.30	7425	3.05	816	0.59	0.28	8232	7.65	1500	1.73	0.30
6824F	13.03	1500	2.53	0.24	7431N	1.41	627	0.27	0.27	8233	5.04	1244	1.15	0.31
6826F	7.41	1500	1.51	0.28	7445N	0.90	-	-	-	8235	7.77	1500	2.00	0.37
6834	6.11	1474	1.48	0.34	7453N	0.76	-	-	-	8263	11.13	1500	2.68	0.34
6836	5.80	1407	1.31	0.30	7500	-	-	0.61	0.30	8264	9.67	1500	2.18	0.30
6843F	21.83	1500	3.91	0.24	7502	2.70	741	0.61	0.30	8265	9.28	1500	1.95	0.28
6845F	9.43	1500	1.69	0.24	7515	2.02	594	0.39	0.26	8279	12.45	1500	2.59	0.27
6854	6.46	1500	1.23	0.26	7520	4.82	1196	1.23	0.37	8288	14.96	1500	3.36	0.30
6872F	15.69	1500	2.81	0.23	7538	9.16	1500	1.75	0.26	8291	6.14	1480	1.48	0.34

Refer to the special classification section of the **Basic Manual** for any state specific classification phraseology.

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2021

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8292	6.07	1465	1.56	0.37	9012	2.39	674	0.57	0.34					
8293	14.03	1500	3.18	0.30	9014	4.80	1192	1.23	0.37					
8295	-	-	1.02	0.34	9015	6.04	1459	1.55	0.37					
8304	8.40	1500	1.90	0.30	9016	4.82	1196	1.23	0.36					
8350	10.43	1500	2.19	0.28	9019	3.70	956	0.83	0.30					
8353	9.60	1500	2.19	0.31	9033	4.24	1072	1.09	0.37					
8380	5.38	1317	1.30	0.34	9040	6.80	1500	1.79	0.38					
8381	3.48	908	0.84	0.34	9052	3.78	973	1.00	0.38					
8385	4.00	1020	0.90	0.30	9058	2.97	799	0.83	0.41					
8392	3.63	940	0.93	0.37	9060	2.80	762	0.74	0.38					
8393	2.56	710	0.66	0.37	9061	2.27	648	0.63	0.41					
8399	-	-	2.12	0.34	9063	1.83	553	0.48	0.38					
8500	10.43	1500	2.36	0.30	9077F	6.87	1500	1.51	0.35					
8601	0.56	280	0.13	0.34	9082	2.78	758	0.77	0.41					
8602	2.27	648	0.55	0.34	9083	2.87	777	0.80	0.41					
8603	0.19	201	0.05	0.37	9084	2.95	794	0.75	0.36					
8606	4.70	1171	0.98	0.28	9088a	a	a	a	a					
8709F	9.74	1500	1.75	0.23	9089	1.88	564	0.49	0.38					
8719	5.58	1360	1.06	0.26	9093	2.56	710	0.67	0.38					
8720	4.07	1035	0.92	0.30	9101	5.21	1280	1.38	0.38					
8721	0.56	280	0.12	0.30	9102	4.77	1186	1.22	0.37					
8723	0.44	255	0.11	0.37	9154	2.83	768	0.72	0.37					
8725	4.58	1145	1.04	0.30	9156	4.90	1214	1.18	0.34					
8726F	5.87	1422	1.19	0.28	9170	16.66	1500	3.17	0.26					
8734M	0.85	343	0.20	0.30	9178	9.67	1500	2.68	0.40					
8737M	0.78	328	0.18	0.30	9179	17.71	1500	4.68	0.38					
8738M	1.05	386	0.22	0.30	9180	9.28	1500	2.08	0.30					
8742	0.63	295	0.14	0.30	9182	3.24	857	0.82	0.36					
8745	6.11	1474	1.48	0.34	9186	30.28	1500	6.27	0.27					
8748	1.02	379	0.25	0.34	9220	8.36	1500	2.02	0.34					
8755	0.95	364	0.21	0.30	9402	12.13	1500	2.74	0.30					
8799	0.95	364	0.24	0.37	9403	12.20	1500	2.56	0.28					
8800	3.09	824	0.87	0.41	9410	3.78	973	0.97	0.37					
8803	0.12	186	0.02	0.30	9501	5.63	1370	1.36	0.34					
8805M	0.39	244	0.10	0.37	9505	6.85	1500	1.65	0.34					
8810	0.29	222	0.08	0.37	9516	7.43	1500	1.69	0.30					
8814M	0.37	240	0.10	0.37	9519	7.31	1500	1.66	0.30					
8815M	0.49	265	0.13	0.37	9521	6.55	1500	1.48	0.30					
8820	0.27	218	0.07	0.34	9522	3.58	930	0.92	0.37					
8824	4.17	1057	1.10	0.38	9534	7.75	1500	1.63	0.28					
8825	-	-	1.28	0.36	9554	19.78	1500	4.15	0.28					
8826	5.04	1244	1.28	0.36	9586	0.95	364	0.27	0.41					
8829	-	-	1.10	0.38	9600	4.07	1035	1.08	0.38					
8831	2.78	758	0.70	0.36	9620	2.14	620	0.51	0.34					
8832	0.63	295	0.16	0.37										
8833	2.92	788	0.74	0.36										
8835	4.63	1155	1.19	0.37										
8842	5.31	1302	1.36	0.37										
8855	0.34	233	0.08	0.37										
8856	0.73	317	0.19	0.37										
8864	3.26	861	0.83	0.37										
8868	0.85	343	0.23	0.38										
8869	2.24	642	0.59	0.38										
8871	0.15	192	0.04	0.39										
8901	0.29	222	0.07	0.34										

Refer to the special classification section of the **Basic Manual** for any state specific classification phraseology.

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2021
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol
0059D	0.41	S	1624D	0.02	S	3365D	0.02	L
0065D	0.07	S	1710D	0.05	S	3647D	0.29	L
0066D	0.07	S	1803D	0.49	S	4024D	0.02	S
0067D	0.07	S	3081D	0.07	S	4470D	0.02	B,L
1164D	0.05	S	3082D	0.10	S	4493D	0.17	B
1165D	0.02	S	3085D	0.15	S	4558D	0.05	L
1430D	0.44	L	3188D	0.02	L	6251D	0.05	S
1438D	0.46	S	3336D	0.07	L	6252D	0.05	S

S=Silica, L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$1.60. (For coverage written separately for federal benefits only, \$1.58. For coverage written separately for state benefits only, \$0.02.)
- 1016 Rate includes a non-ratable disease element of \$4.83. (For coverage written separately for federal benefits only, \$4.73. For coverage written separately for state benefits only, \$0.10.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 1.643 and elr x 1.586.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2021

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with *Basic Manual* footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$71,800
Leased or rented vehicle.....	\$47,800

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with *Basic Manual* Rule 3-A-11..... \$160

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40	Loss Development Factors	
Minimum Premium Factor	0.75	1st Adjustment	0.24
Maximum Premium Factor	1.75	2nd Adjustment	0.17
Loss Conversion Factor	1.194	3rd Adjustment	0.13
Tax Multiplier	1.053	4th Adjustment	0.11

Maximum Minimum Premium..... \$1,500

Maximum Weekly Payroll applicable in accordance with *Basic Manual* Rule 2-E-1 -- "Executive Officers" and the *Basic Manual* footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports" and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,700

Minimum Premium Multiplier..... 215

Minimum Weekly Payroll applicable in accordance with *Basic Manual* Rule 2-E-1 -- "Executive Officers".... \$900

Premium Determination for Partners and Sole Proprietors in accordance with *Basic Manual* Rule 2-E-3 (Annual Payroll)..... \$47,800

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.7%	0.5%	0.4%	0.3%	0.2%	0.2%	0.2%
\$200	1.3%	0.9%	0.9%	0.6%	0.5%	0.3%	0.3%
\$300	1.8%	1.3%	1.2%	0.9%	0.7%	0.5%	0.4%
\$400	2.3%	1.7%	1.6%	1.1%	0.9%	0.6%	0.6%
\$500	2.7%	2.0%	1.9%	1.4%	1.1%	0.8%	0.7%
\$1,000	4.5%	3.4%	3.2%	2.4%	1.9%	1.4%	1.2%
\$1,500	5.9%	4.5%	4.2%	3.1%	2.6%	1.9%	1.6%
\$2,000	6.9%	5.3%	5.0%	3.8%	3.1%	2.3%	2.0%
\$2,500	7.8%	6.0%	5.7%	4.4%	3.6%	2.7%	2.3%

Terrorism (Assigned Risk)..... 0.01

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with *Basic Manual* Rule 3-A-4..... 31%

(Multiply a Non-F classification rate by a factor of 1.31 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.25) and the adjustment for differences in loss-based expenses (1.047).)

Effective March 1, 2021

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk qualifies for experience rating on an intrastate basis when it meets the premium eligibility requirements for the state in which it operates. The eligibility amount varies by rating effective date. The *Experience Rating Plan Manual* should be referenced for the latest approved eligibility amounts by state and by effective date.