

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2022
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	4.70	1171	1.28	0.37	2002	4.82	1196	1.31	0.37	2701	17.59	1500	3.91	0.29
0008	4.38	1102	1.19	0.37	2003	5.12	1261	1.34	0.35	2702	23.02	1500	4.78	0.25
0016	9.09	1500	2.17	0.32	2014	6.97	1500	1.66	0.32	2709	14.71	1500	3.27	0.28
0034	6.07	1465	1.59	0.34	2016	3.80	977	1.03	0.37	2710	10.43	1500	2.49	0.32
0035	3.51	915	0.92	0.34	2021	4.85	1203	1.27	0.34	2714	6.28	1500	1.70	0.37
0036	7.16	1500	1.94	0.37	2039	4.70	1171	1.28	0.37	2731	5.53	1349	1.50	0.37
0037	6.43	1500	1.54	0.32	2041	3.95	1009	1.07	0.37	2735	6.07	1465	1.64	0.37
0042	8.16	1500	2.13	0.34	2065	3.51	915	0.92	0.35	2759	8.72	1500	2.36	0.37
0050	9.43	1500	2.25	0.32	2070	6.28	1500	1.64	0.35	2790	3.56	925	1.01	0.40
0059D	0.37	-	0.04	0.28	2081	4.36	1097	1.25	0.40	2797	6.58	1500	1.88	0.40
0065D	0.07	-	0.01	0.32	2089	4.63	1155	1.25	0.37	2799	8.60	1500	2.25	0.34
0066D	0.07	-	0.01	0.34	2095	5.46	1334	1.43	0.34	2802	7.94	1500	2.07	0.34
0067D	0.07	-	0.01	0.34	2101	-	-	1.43	0.34	2804	-	-	1.23	0.40
0079	5.58	1360	1.45	0.34	2105	6.36	1500	1.83	0.40	2835	3.87	992	1.11	0.40
0083	8.43	1500	2.20	0.34	2110	3.19	846	0.87	0.37	2836	4.70	1171	1.36	0.40
0106	21.00	1500	4.65	0.28	2111	3.97	1014	1.08	0.37	2841	4.77	1186	1.29	0.37
0113	6.94	1500	1.88	0.37	2112	5.82	1411	1.58	0.37	2881	4.31	1087	1.23	0.40
0170	4.75	1181	1.29	0.37	2114	3.61	936	1.03	0.40	2883	4.65	1160	1.26	0.37
0251	5.94	1437	1.55	0.34	2121	2.12	616	0.61	0.40	2913	-	-	1.26	0.37
0400	-	-	1.14	0.34	2130	2.85	773	0.74	0.34	2915	5.14	1265	1.23	0.32
0401	17.25	A	3.82	0.28	2143	3.92	1003	1.13	0.40	2916	5.55	1353	1.32	0.32
0766N	0.90	-	-	-	2157	6.94	1500	1.89	0.38	2923	2.83	768	0.81	0.40
0771N	1.02	-	-	-	2172	2.07	605	0.49	0.32	2942	-	-	0.50	0.40
0908P	261.00	421	68.39	0.34	2174	4.46	1119	1.20	0.37	2960	7.33	1500	1.92	0.35
0913P	955.00	1115	251.12	0.35	2211	10.43	1500	2.49	0.32	3004	1.71	528	0.38	0.28
0917	5.99	1448	1.72	0.40	2220	3.61	936	0.94	0.35	3018	3.26	861	0.72	0.28
1005*	12.13	1500	2.16	0.25	2286	-	-	0.94	0.35	3022	5.48	1338	1.49	0.37
1016*	25.53	1500	4.19	0.25	2288	5.29	1297	1.44	0.37	3027	2.80	762	0.67	0.32
1164D	4.80	1192	0.99	0.25	2300	-	-	1.34	0.37	3028	3.90	999	0.93	0.32
1165D	4.48	1123	0.93	0.25	2302	3.97	1014	1.04	0.34	3030	6.65	1500	1.59	0.32
1320	2.48	693	0.55	0.28	2305	3.70	956	0.88	0.32	3040	8.18	1500	2.15	0.35
1322	13.57	1500	2.82	0.25	2361	3.48	908	0.91	0.34	3041	6.31	1500	1.65	0.34
1430D	5.29	1297	1.17	0.32	2362	3.17	842	0.86	0.37	3042	6.33	1500	1.66	0.34
1438D	8.92	1500	2.04	0.32	2380	3.00	805	0.81	0.37	3064	5.26	1291	1.38	0.34
1452	4.38	1102	1.05	0.32	2386	-	-	1.34	0.37	3076	4.77	1186	1.29	0.37
1463	13.74	1500	2.85	0.25	2388	2.09	609	0.60	0.40	3081D	6.14	1480	1.59	0.34
1472	5.02	1239	1.21	0.33	2402	4.87	1207	1.16	0.32	3082D	5.84	1416	1.38	0.32
1473	1.46	474	0.35	0.32	2413	3.31	872	0.86	0.34	3085D	7.36	1500	1.88	0.34
1474	-	-	1.21	0.33	2416	3.05	816	0.83	0.37	3110	5.75	1396	1.50	0.34
1624D	5.01	1237	1.11	0.28	2417	2.00	590	0.54	0.37	3111	3.02	809	0.82	0.37
1642	3.65	945	0.87	0.32	2501	4.95	1224	1.34	0.37	3113	3.73	962	0.97	0.34
1654	6.11	1474	1.47	0.32	2503	1.56	495	0.43	0.37	3114	4.48	1123	1.17	0.34
1655	-	-	0.87	0.32	2534	-	-	1.34	0.37	3117	-	-	0.91	0.40
1699	5.63	1370	1.34	0.32	2570	5.14	1265	1.40	0.37	3118	3.17	842	0.91	0.40
1701	4.07	1035	0.90	0.28	2585	5.55	1353	1.45	0.35	3119	1.41	463	0.43	0.41
1710D	5.63	1370	1.34	0.32	2586	4.04	1029	1.09	0.37	3120	-	-	1.01	0.37
1741	-	-	0.90	0.28	2587	3.65	945	0.99	0.37	3122	3.05	816	0.88	0.40
1747	3.46	904	0.83	0.32	2589	4.38	1102	1.14	0.34	3126	2.07	605	0.54	0.34
1748	8.04	1500	1.91	0.32	2600	6.28	1500	1.71	0.38	3131	3.34	878	0.87	0.34
1803D	11.10	1500	2.55	0.32	2623	9.33	1500	2.22	0.32	3132	5.31	1302	1.44	0.37
1852	-	-	0.66	0.24	2651	2.53	704	0.68	0.37	3145	3.36	882	0.88	0.34
1853	-	-	0.90	0.28	2660	3.80	977	1.09	0.40	3146	3.43	897	0.90	0.34
1860	-	-	0.95	0.32	2670	-	-	1.07	0.37	3169	3.78	973	1.02	0.37
1924	2.97	799	0.80	0.37	2683	-	-	1.34	0.37	3175	-	-	1.02	0.37
1925	5.92	1433	1.55	0.34	2688	3.95	1009	1.07	0.37	3179	2.61	721	0.71	0.37

Refer to the Classification codes section of the **Basic Manual** for any state specific classification phraseology.

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2022
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3180	3.07	820	0.83	0.37	3865	4.04	1029	1.16	0.40	4581	1.51	485	0.33	0.28
3188D	2.75	751	0.71	0.34	3881	5.68	1381	1.48	0.34	4583	5.53	1349	1.22	0.28
3220	2.61	721	0.68	0.34	4000	6.07	1465	1.35	0.28	4611	1.63	510	0.44	0.37
3223	-	-	0.83	0.37	4021	5.70	1386	1.49	0.34	4635	5.60	1364	1.24	0.28
3224	4.99	1233	1.44	0.40	4024D	6.04	1459	1.44	0.32	4653	2.39	674	0.65	0.37
3227	4.68	1166	1.27	0.37	4034	8.70	1500	2.07	0.32	4665	12.25	1500	2.94	0.32
3240	-	-	1.23	0.37	4036	3.29	867	0.78	0.32	4670	-	-	1.43	0.35
3241	5.60	1364	1.52	0.37	4038	3.70	956	1.06	0.40	4683	5.46	1334	1.43	0.35
3255	3.14	835	0.90	0.40	4053	-	-	0.95	0.34	4686	3.05	816	0.73	0.32
3257	4.53	1134	1.23	0.37	4061	-	-	0.95	0.34	4692	0.88	349	0.24	0.37
3270	3.73	962	1.01	0.37	4062	3.63	940	0.95	0.34	4693	1.80	547	0.49	0.37
3300	6.11	1474	1.75	0.40	4101	2.85	773	0.75	0.35	4703	2.39	674	0.62	0.35
3303	3.29	867	0.89	0.37	4109	0.63	295	0.17	0.37	4717	3.19	846	0.92	0.40
3307	4.17	1057	1.09	0.34	4110	1.19	416	0.32	0.37	4720	3.56	925	0.93	0.35
3315	4.56	1140	1.24	0.37	4111	2.46	689	0.67	0.37	4740	1.32	444	0.27	0.25
3334	3.07	820	0.81	0.35	4113	-	-	0.67	0.37	4741	5.36	1312	1.40	0.34
3336D	3.41	893	0.88	0.34	4114	3.73	962	0.98	0.35	4751	3.97	1014	0.95	0.32
3365D	6.99	1500	1.55	0.28	4130	4.73	1177	1.28	0.37	4766N	6.53	1500	1.45	0.28
3372	4.92	1218	1.29	0.35	4131	6.48	1500	1.75	0.37	4771N	5.82	1500	1.28	0.28
3373	6.65	1500	1.81	0.37	4133	3.61	936	1.03	0.40	4777	7.58	1500	1.67	0.28
3383	2.44	685	0.66	0.37	4149	0.90	354	0.26	0.40	4825	1.10	397	0.26	0.32
3385	1.32	444	0.35	0.37	4206	4.58	1145	1.25	0.37	4828	2.85	773	0.63	0.28
3400	4.77	1186	1.29	0.37	4207	3.12	831	0.69	0.29	4829	1.46	474	0.32	0.29
3507	4.31	1087	1.12	0.34	4239	3.29	867	0.73	0.28	4902	3.58	930	0.97	0.37
3515	3.41	893	0.89	0.34	4240	4.51	1130	1.29	0.40	4923	1.27	433	0.33	0.34
3548	1.97	584	0.54	0.37	4243	3.05	816	0.80	0.34	5020	9.62	1500	2.14	0.28
3559	3.78	973	0.99	0.34	4244	3.65	945	0.87	0.32	5022	13.18	1500	2.74	0.25
3574	1.80	547	0.49	0.37	4250	2.51	700	0.65	0.34	5037	26.63	1500	5.55	0.25
3581	1.53	489	0.42	0.37	4251	4.21	1065	1.14	0.37	5040	12.06	1500	2.51	0.25
3612	3.14	835	0.82	0.35	4263	4.48	1123	1.17	0.34	5057	5.51	1345	1.14	0.25
3620	5.53	1349	1.32	0.32	4273	3.70	956	0.97	0.34	5059	31.33	1500	6.50	0.25
3629	2.09	609	0.55	0.34	4279	3.95	1009	0.95	0.32	5069	-	-	6.50	0.25
3632	3.82	981	1.00	0.34	4282	-	-	0.95	0.32	5102	8.09	1500	1.80	0.28
3634	2.56	710	0.67	0.34	4283	2.14	620	0.58	0.37	5146	6.92	1500	1.65	0.32
3635	2.73	747	0.72	0.35	4299	2.75	751	0.72	0.34	5160	3.34	878	0.69	0.25
3638	2.90	784	0.79	0.37	4304	6.80	1500	1.78	0.34	5183	4.21	1065	0.94	0.29
3642	1.80	547	0.49	0.37	4307	2.31	657	0.67	0.40	5188	5.94	1437	1.32	0.28
3643	2.80	762	0.67	0.32	4351	1.39	459	0.38	0.37	5190	5.55	1353	1.23	0.28
3647D	4.14	1050	1.01	0.34	4352	2.51	700	0.68	0.37	5191	1.49	480	0.35	0.32
3648	2.51	700	0.72	0.40	4360	-	-	0.24	0.32	5192	5.14	1265	1.35	0.34
3681	1.07	390	0.29	0.37	4361	1.63	510	0.44	0.37	5213	10.55	1500	2.19	0.25
3685	1.32	444	0.35	0.37	4410	4.41	1108	1.20	0.37	5215	8.23	1500	1.97	0.32
3719	1.53	489	0.32	0.25	4420	5.60	1364	1.24	0.28	5221	6.70	1500	1.49	0.28
3724	5.55	1353	1.15	0.25	4431	2.00	590	0.58	0.40	5222	15.83	1500	3.29	0.25
3726	4.85	1203	1.01	0.25	4432	1.75	536	0.50	0.40	5223	8.16	1500	1.95	0.32
3803	3.97	1014	1.08	0.37	4439	-	-	0.59	0.35	5348	6.36	1500	1.52	0.32
3807	3.82	981	1.04	0.37	4452	4.97	1229	1.30	0.34	5402	9.94	1500	2.69	0.37
3808	7.87	1500	2.07	0.35	4459	3.92	1003	0.94	0.32	5403	7.92	1500	1.76	0.28
3821	12.86	1500	3.07	0.32	4470D	3.21	850	0.84	0.34	5437	9.33	1500	2.07	0.28
3822	5.24	1287	1.42	0.37	4484	3.65	945	0.99	0.37	5443	7.67	1500	2.01	0.35
3824	7.70	1500	2.08	0.37	4493D	3.78	973	0.95	0.34	5445	11.50	1500	2.38	0.25
3826	2.17	627	0.57	0.35	4511	1.02	379	0.27	0.34	5462	9.26	1500	2.21	0.32
3827	3.14	835	0.85	0.37	4557	3.75	966	0.89	0.32	5472	8.31	1500	1.73	0.25
3830	1.39	459	0.37	0.35	4558D	2.32	659	0.59	0.35	5473	13.98	1500	2.90	0.25
3851	3.07	820	0.84	0.37	4568	5.60	1364	1.33	0.32	5474	9.01	1500	1.87	0.25

Refer to the Classification codes section of the **Basic Manual** for any state specific classification phraseology.

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2022
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5478	7.33	1500	1.63	0.28	6882	5.02	1239	1.11	0.28	7540	4.07	1035	0.84	0.25
5479	9.96	1500	2.38	0.32	6884	5.53	1349	1.23	0.28	7570	-	-	0.59	0.28
5480	8.70	1500	1.93	0.28	7016M	3.97	1014	0.83	0.26	7580	4.46	1119	1.06	0.32
5491	4.12	1046	0.91	0.29	7024M	4.41	1108	0.92	0.26	7590	5.04	1244	1.21	0.32
5506	8.72	1500	1.93	0.28	7038M	7.99	1500	1.65	0.24	7600	7.09	1500	1.70	0.32
5507	6.80	1500	1.51	0.28	7046M	13.67	1500	2.84	0.25	7605	3.31	872	0.73	0.28
5508	-	-	1.51	0.28	7047M	5.46	1334	1.09	0.26	7610	1.00	375	0.24	0.32
5535	12.45	1500	2.58	0.25	7050M	10.96	1500	2.18	0.24	7705	10.50	1500	2.75	0.34
5537	6.99	1500	1.67	0.32	7090M	8.87	1500	1.83	0.24	7710	5.72	1390	1.27	0.28
5551	22.24	1500	4.61	0.25	7098M	15.18	1500	3.15	0.25	7711	5.72	1390	1.27	0.28
5606	1.66	517	0.34	0.25	7099M	18.76	1500	3.75	0.25	7720	5.68	1381	1.35	0.32
5610	9.06	1500	2.17	0.32	7133	4.99	1233	1.11	0.28	7855	5.31	1302	1.27	0.32
5645	20.24	1500	4.19	0.24	7151M	6.07	1465	1.34	0.28	8001	4.34	1093	1.17	0.37
5703	20.83	1500	4.97	0.32	7152M	8.33	1500	1.78	0.28	8002	3.41	893	0.92	0.37
5705	21.17	1500	5.04	0.32	7153M	6.75	1500	1.50	0.28	8006	3.46	904	0.99	0.40
5951	0.63	295	0.17	0.37	7219	11.86	1500	2.64	0.29	8008	2.53	704	0.73	0.40
6003	10.86	1500	2.41	0.28	7222	16.08	1500	3.57	0.28	8010	3.34	878	0.90	0.37
6005	6.09	1469	1.45	0.32	7225	10.30	1500	2.47	0.32	8013	0.63	295	0.17	0.34
6017	-	-	2.19	0.25	7228	-	-	2.64	0.29	8015	1.22	422	0.32	0.34
6018	3.43	897	0.83	0.33	7229	-	-	2.64	0.29	8017	2.80	762	0.80	0.40
6045	7.87	1500	1.88	0.32	7230	11.79	1500	3.09	0.35	8018	4.53	1134	1.23	0.37
6204	10.96	1500	2.43	0.28	7231	13.67	1500	3.59	0.35	8021	4.17	1057	1.13	0.37
6206	4.19	1061	0.87	0.25	7232	15.54	1500	3.47	0.29	8031	3.75	966	1.02	0.37
6213	2.80	762	0.58	0.25	7309F	16.66	1500	3.37	0.22	8032	3.17	842	0.86	0.37
6214	2.46	689	0.54	0.28	7313F	7.11	1500	1.44	0.22	8033	2.85	773	0.82	0.40
6216	10.23	1500	2.12	0.25	7317F	13.15	1500	2.66	0.22	8037	3.73	962	1.11	0.41
6217	7.16	1500	1.48	0.25	7327F	25.68	1500	5.19	0.22	8039	2.39	674	0.68	0.40
6229	7.21	1500	1.72	0.32	7333M	4.24	1072	0.89	0.25	8044	5.02	1239	1.36	0.37
6233	4.95	1224	1.03	0.25	7335M	4.70	1171	0.98	0.25	8045	1.14	405	0.31	0.37
6235	8.72	1500	1.81	0.25	7337M	5.82	1411	1.17	0.25	8046	3.97	1014	1.07	0.37
6236	10.18	1500	2.44	0.32	7350F	16.74	1500	3.52	0.26	8047	1.34	448	0.37	0.37
6237	3.46	904	0.78	0.29	7360	5.94	1437	1.42	0.32	8058	5.14	1265	1.39	0.37
6251D	8.09	1500	1.79	0.29	7370	7.09	1500	1.92	0.37	8072	1.27	433	0.36	0.40
6252D	9.19	1500	1.90	0.25	7380	7.94	1500	1.90	0.32	8102	3.51	915	0.95	0.37
6260	-	-	1.79	0.29	7382	7.70	1500	2.01	0.34	8103	4.36	1097	1.14	0.34
6306	6.67	1500	1.48	0.28	7390	8.75	1500	2.37	0.37	8105	-	-	1.23	0.37
6319	8.87	1500	1.84	0.24	7394M	6.80	1500	1.42	0.26	8106	6.19	1491	1.48	0.32
6325	6.77	1500	1.40	0.25	7395M	7.55	1500	1.58	0.26	8107	4.38	1102	0.97	0.28
6400	11.25	1500	2.68	0.32	7398M	9.33	1500	1.88	0.26	8111	3.19	846	0.84	0.34
6503	4.09	1039	1.11	0.37	7402	0.34	233	0.09	0.38	8116	5.07	1250	1.32	0.34
6504	4.51	1130	1.22	0.37	7403	3.48	908	0.95	0.38	8203	9.62	1500	2.52	0.35
6702M*	6.46	1500	1.55	0.32	7405N	1.56	674	0.42	0.38	8204	7.36	1500	1.93	0.34
6703M*	8.87	1500	2.04	0.32	7420	8.04	1500	1.68	0.26	8209	7.16	1500	1.94	0.37
6704M*	7.16	1500	1.72	0.32	7421	1.36	452	0.33	0.32	8215	5.29	1297	1.26	0.32
6801F	5.75	1396	1.26	0.30	7422	2.19	631	0.49	0.29	8227	7.06	1500	1.57	0.28
6811	8.99	1500	2.14	0.32	7425	2.97	799	0.66	0.29	8232	7.11	1500	1.70	0.32
6824F	11.08	1500	2.43	0.30	7431N	1.36	609	0.30	0.29	8233	4.43	1112	1.07	0.33
6826F	6.31	1500	1.38	0.30	7445N	0.83	-	-	-	8235	6.53	1500	1.71	0.35
6834	5.16	1269	1.40	0.37	7453N	0.73	-	-	-	8263	10.18	1500	2.66	0.34
6836	5.41	1323	1.41	0.34	7500	-	-	0.58	0.32	8264	8.04	1500	1.91	0.32
6843F	18.56	1500	3.75	0.22	7502	2.44	685	0.58	0.32	8265	7.94	1500	1.76	0.28
6845F	8.01	1500	1.62	0.22	7515	1.85	558	0.38	0.25	8279	10.99	1500	2.43	0.28
6854	5.82	1411	1.29	0.28	7520	4.43	1112	1.16	0.34	8288	13.28	1500	3.46	0.34
6872F	13.35	1500	2.70	0.22	7538	8.14	1500	1.69	0.25	8291	5.14	1265	1.35	0.34
6874F	22.48	1500	4.55	0.22	7539	2.68	736	0.59	0.28	8292	5.33	1306	1.45	0.37

Refer to the Classification codes section of the **Basic Manual** for any state specific classification phraseology.

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2022

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8293	11.81	1500	3.21	0.37	9014	4.09	1039	1.11	0.37					
8295	-	-	1.14	0.34	9015	5.33	1306	1.39	0.34					
8304	7.67	1500	1.70	0.28	9016	4.51	1130	1.22	0.37					
8350	8.75	1500	1.94	0.29	9019	3.92	1003	0.94	0.32					
8353	8.04	1500	1.93	0.32	9033	3.65	945	0.95	0.34					
8380	4.95	1224	1.29	0.34	9040	6.07	1465	1.74	0.40					
8381	2.87	777	0.75	0.34	9052	3.31	872	0.95	0.40					
8385	3.63	940	0.95	0.35	9058	2.61	721	0.78	0.41					
8392	3.31	872	0.95	0.40	9060	2.51	700	0.72	0.40					
8393	2.31	657	0.56	0.32	9061	1.92	573	0.55	0.40					
8399	-	-	2.08	0.37	9063	1.61	506	0.46	0.40					
8500	8.70	1500	2.08	0.32	9077F	7.89	1500	1.85	0.36					
8601	0.49	265	0.11	0.28	9082	2.58	715	0.77	0.40					
8602	2.00	590	0.48	0.32	9083	2.24	642	0.67	0.40					
8603	0.17	197	0.04	0.37	9084	2.73	747	0.78	0.40					
8606	3.68	951	0.81	0.28	9088a	a	a	a	a					
8709F	8.28	1500	1.67	0.22	9089	1.58	500	0.45	0.40					
8719	4.58	1145	1.01	0.28	9093	2.19	631	0.63	0.40					
8720	3.95	1009	0.87	0.28	9101	4.53	1134	1.30	0.40					
8721	0.49	265	0.12	0.32	9102	4.36	1097	1.14	0.34					
8723	0.34	233	0.09	0.34	9154	2.95	794	0.80	0.37					
8725	3.51	915	0.84	0.32	9156	4.38	1102	1.26	0.40					
8726F	4.99	1233	1.09	0.30	9170	14.03	1500	3.10	0.28					
8734M	0.76	323	0.18	0.32	9178	9.38	1500	2.79	0.40					
8737M	0.68	306	0.17	0.32	9179	18.93	1500	5.66	0.41					
8738M	0.93	360	0.21	0.32	9180	8.23	1500	2.14	0.34					
8742	0.56	280	0.13	0.32	9182	3.12	831	0.85	0.37					
8745	5.09	1254	1.33	0.34	9186	30.79	1500	6.77	0.28					
8748	0.93	360	0.21	0.28	9220	7.45	1500	1.95	0.34					
8755	0.90	354	0.22	0.32	9402	11.67	1500	2.58	0.28					
8799	0.85	343	0.23	0.37	9403	11.50	1500	2.55	0.28					
8800	2.63	725	0.72	0.37	9410	3.43	897	0.93	0.37					
8803	0.12	186	0.03	0.32	9501	4.85	1203	1.16	0.32					
8805M	0.34	233	0.09	0.37	9505	5.55	1353	1.45	0.34					
8810	0.24	212	0.07	0.37	9516	5.43	1327	1.43	0.35					
8814M	0.29	222	0.08	0.37	9519	6.19	1491	1.48	0.32					
8815M	0.41	248	0.11	0.37	9521	5.48	1338	1.31	0.32					
8820	0.22	207	0.05	0.32	9522	3.46	904	1.00	0.40					
8824	3.48	908	1.04	0.41	9534	7.38	1500	1.54	0.25					
8825	-	-	1.25	0.40	9554	16.76	1500	3.72	0.28					
8826	4.36	1097	1.25	0.40	9586	0.88	349	0.25	0.40					
8829	-	-	1.04	0.41	9600	3.56	925	0.96	0.37					
8831	2.48	693	0.74	0.40	9620	2.17	627	0.52	0.32					
8832	0.56	280	0.15	0.37										
8833	2.78	758	0.75	0.37										
8835	4.02	1024	1.09	0.38										
8842	4.36	1097	1.30	0.41										
8855	0.27	218	0.07	0.37										
8856	0.73	317	0.20	0.38										
8864	2.78	758	0.79	0.40										
8868	0.80	332	0.23	0.40										
8869	1.92	573	0.55	0.40										
8871	0.12	186	0.03	0.38										
8901	0.27	218	0.07	0.32										
9012	2.19	631	0.53	0.32										

Refer to the Classification codes section of the **Basic Manual** for any state specific classification phraseology.

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2022

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See the **Basic Manual** rule, Supplemental and supplementary loading.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.37	S	1624D	0.02	S	3365D	0.02	L
0065D	0.07	S	1710D	0.05	S	3647D	0.27	L
0066D	0.07	S	1803D	0.41	S	4024D	0.02	S
0067D	0.07	S	3081D	0.07	S	4470D	0.02	B,L
1164D	0.05	S	3082D	0.07	S	4493D	0.15	B
1165D	0.02	S	3085D	0.15	S	4558D	0.05	L
1430D	0.37	L	3188D	0.02	L	6251D	0.05	S
1438D	0.39	S	3336D	0.05	L	6252D	0.05	S

S=Silica, L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$1.80. (For coverage written separately for federal benefits only, \$1.75. For coverage written separately for state benefits only, \$0.05.)
- 1016 Rate includes a non-ratable disease element of \$5.43. (For coverage written separately for federal benefits only, \$5.26. For coverage written separately for state benefits only, \$0.17.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 1.669 and elr x 1.607.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2022

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with the *Basic Manual* notes for Code 7370 -- "Taxicab Co.":
 Employee operated vehicle..... \$76,700
 Leased or rented vehicle..... \$51,100

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with the *Basic Manual* rule..... \$160

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40
Minimum Premium Factor	0.75
Maximum Premium Factor	1.75
Loss Conversion Factor	1.195
Tax Multiplier	1.053

Loss Development Factors	
1st Adjustment	0.22
2nd Adjustment	0.16
3rd Adjustment	0.12
4th Adjustment	0.10

Maximum Minimum Premium..... \$1,500

Maximum Weekly Payroll applicable in accordance with the *Basic Manual* rule, Rule for premium determination of executive officers and the *Basic Manual* notes for Code 9178 -- "Athletic Sports or Park: Noncontact Sports," and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,900

Minimum Premium Multiplier..... 215

Minimum Weekly Payroll applicable in accordance with the *Basic Manual* rule, Rule for premium determination of executive officers..... \$1,000

Premium Determination for Partners and Sole Proprietors in accordance with the *Basic Manual* rule, Rule for premium determination for partners or sole proprietors (Annual Payroll) \$51,100

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.6%	0.5%	0.4%	0.3%	0.2%	0.2%	0.1%
\$200	1.2%	1.0%	0.7%	0.6%	0.5%	0.3%	0.3%
\$300	1.7%	1.4%	1.1%	0.9%	0.7%	0.5%	0.4%
\$400	2.1%	1.8%	1.4%	1.1%	0.9%	0.6%	0.5%
\$500	2.6%	2.2%	1.7%	1.4%	1.0%	0.7%	0.6%
\$1,000	4.3%	3.7%	2.9%	2.3%	1.8%	1.3%	1.1%
\$1,500	5.6%	4.8%	3.8%	3.1%	2.5%	1.8%	1.5%
\$2,000	6.7%	5.7%	4.6%	3.8%	3.0%	2.2%	1.9%
\$2,500	7.6%	6.5%	5.2%	4.3%	3.5%	2.6%	2.2%

Terrorism (Assigned Risk)..... 0.01

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with the *Basic Manual* rule, Federal coverages..... 31%

(Multiply a Non-F classification rate by a factor of 1.31 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.25) and the adjustment for differences in loss-based expenses (1.046).)

Effective March 1, 2022

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk qualifies for experience rating on an intrastate basis when it meets the premium eligibility requirements for the state in which it operates. The eligibility amount varies by rating effective date. The ***Experience Rating Plan Manual*** should be referenced for the latest approved eligibility amounts by state and by effective date.