

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Exhibit V

Page S1

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	7.28	1250	1.52	0.17	1924	6.69	1250	1.48	0.19	2651	4.73	1250	1.04	0.19
0008	6.44	1250	1.28	0.16	1925	7.34	1250	1.48	0.16	2660	5.54	1250	1.22	0.19
0016	15.19	1250	2.82	0.14	2001	-	-	1.58	0.17	2670	4.84	1250	1.14	0.23
0034	9.02	1250	1.92	0.17	2002	8.24	1250	1.82	0.19	2683	5.30	1250	1.16	0.19
0035	6.90	1250	1.55	0.19	2003	7.53	1250	1.58	0.17	2688	6.33	1250	1.41	0.19
0036	10.00	1250	2.12	0.17	2014	14.35	1250	2.58	0.14	2701	16.85	1250	3.25	0.15
0037	8.72	1250	1.75	0.16	2016	5.44	1250	1.19	0.19	2702	26.94	1250	3.86	0.12
0042	12.37	1250	2.47	0.16	2021	8.81	1250	1.76	0.16	2709	28.19	1250	5.33	0.15
0050	17.15	1250	3.53	0.17	2039	5.82	1250	1.28	0.19	2710	19.90	1250	3.24	0.12
0059D	0.65	-	0.05	0.11	2041	6.85	1250	1.52	0.19	2714	7.91	1250	1.75	0.19
0065D	0.11	-	0.01	0.14	2065	6.80	1250	1.45	0.17	2731	12.67	1250	2.33	0.14
0066D	0.11	-	0.01	0.14	2070	13.45	1250	2.85	0.17	2735	8.56	1250	1.89	0.19
0067D	0.11	-	0.01	0.14	2081	10.55	1250	2.18	0.17	2759	15.14	1250	3.28	0.19
0079	11.82	1250	2.20	0.14	2089	6.06	1250	1.27	0.17	2790	3.40	971	0.76	0.19
0083	12.75	1250	2.66	0.17	2095	8.13	1250	1.68	0.17	2797	16.82	1250	3.32	0.16
0106	34.76	1250	5.73	0.12	2101X	6.55	1250	1.58	0.20	2799	11.82	1250	2.38	0.16
0113	9.70	1250	2.00	0.17	2105	7.18	1250	1.57	0.19	2802	16.82	1250	3.32	0.16
0170	12.53	1250	2.59	0.17	2110	5.84	1250	1.30	0.19	2804X	7.37	1250	1.73	0.20
0251	8.72	1250	1.86	0.17	2111	5.52	1250	1.20	0.19	2812	-	-	2.02	0.17
0400	25.41	1250	5.19	0.16	2112	7.94	1250	1.76	0.19	2835	6.17	1250	1.44	0.23
0401	25.88	A	4.39	0.13	2114	4.46	1199	0.99	0.19	2836	16.09	1250	4.34	0.22
0766N	0.95	-	-	-	2121	4.73	1250	1.01	0.17	2841	7.45	1250	1.63	0.19
0771N	1.17	-	-	-	2130	6.82	1250	1.43	0.17	2881	6.28	1250	1.47	0.23
0908P	424.00	664	90.73	0.17	2143	6.33	1250	1.42	0.19	2883	9.70	1250	2.02	0.17
0909	-	-	90.73	0.17	2156	-	-	2.29	0.18	2913	9.38	1250	2.21	0.23
0912	-	-	189.90	0.17	2157	10.65	1250	2.29	0.18	2915	6.20	1250	1.24	0.16
0913P	900.00	1140	189.90	0.17	2172	3.59	1012	0.74	0.16	2916	8.97	1250	1.52	0.13
0917	10.98	1250	2.40	0.19	2174	6.55	1250	1.47	0.19	2923	6.17	1250	1.37	0.19
1005*	31.19	1250	2.90	0.12	2177	-	-	0.74	0.16	2942	6.69	1250	1.62	0.24
1016X*	57.37	1250	5.23	0.17	2211	14.89	1250	2.74	0.14	2960	9.68	1250	2.07	0.17
1164D	11.77	1250	1.64	0.12	2220	7.88	1250	1.65	0.17	3004	2.94	872	0.56	0.15
1165D	11.79	1250	1.94	0.12	2286	4.67	1244	1.04	0.19	3018	4.89	1250	0.92	0.15
1320	4.95	1250	0.83	0.13	2288	6.93	1250	1.54	0.19	3022	6.58	1250	1.45	0.19
1322	34.79	1250	5.84	0.13	2300	5.22	1250	1.25	0.24	3027	5.11	1250	0.96	0.14
1420X	11.52	1250	2.36	0.15	2302	3.13	913	0.66	0.17	3028	11.44	1250	2.34	0.17
1430D	16.77	1250	2.88	0.14	2305	5.14	1250	1.03	0.16	3030	15.74	1250	2.87	0.14
1438D	13.65	1250	2.17	0.12	2361	4.46	1199	0.93	0.17	3040	10.65	1250	2.02	0.15
1452	5.33	1250	0.99	0.14	2362	3.59	1012	0.75	0.17	3041	7.88	1250	1.67	0.17
1463	22.21	1250	3.61	0.12	2380	6.50	1250	1.35	0.17	3042	11.14	1250	2.26	0.16
1473X	5.44	1250	1.01	0.14	2386	3.72	1040	0.85	0.19	3064	9.49	1250	2.01	0.17
1474X	5.63	1250	1.18	0.16	2388	4.51	1210	1.00	0.19	3066	-	-	1.86	0.19
1624D	12.94	1250	2.10	0.12	2402	7.50	1250	1.39	0.14	3069	15.87	1250	2.98	0.14
1642	11.28	1250	2.12	0.14	2413	4.57	1223	0.96	0.17	3076	8.43	1250	1.86	0.19
1654	20.22	1250	3.86	0.15	2416	3.72	1040	0.78	0.17	3081D	14.35	1250	2.64	0.14
1655	8.34	1250	1.55	0.14	2417	4.08	1117	0.87	0.17	3082D	9.22	1250	1.69	0.14
1699	7.88	1250	1.48	0.14	2501	7.26	1250	1.51	0.17	3085D	9.02	1250	1.62	0.14
1701	9.49	1250	1.77	0.14	2503	2.42	760	0.54	0.19	3110	7.53	1250	1.60	0.17
1710D	11.69	1250	2.16	0.14	2534	7.94	1250	1.70	0.19	3111	7.61	1250	1.59	0.17
1741D	8.12	1250	1.05	0.11	2570	7.09	1250	1.60	0.19	3113	5.98	1250	1.23	0.17
1747	7.94	1250	1.50	0.15	2585	8.21	1250	1.80	0.19	3114	6.60	1250	1.43	0.18
1748	9.21	1250	1.70	0.14	2586	5.30	1250	1.11	0.17	3117X	3.91	1081	0.98	0.24
1803D	23.18	1250	3.57	0.12	2587	10.95	1250	2.44	0.19	3118	4.05	1111	0.90	0.19
1852D	7.74	1250	1.04	0.11	2589	5.95	1250	1.23	0.17	3119	3.34	958	0.79	0.23
1853	2.80	842	0.60	0.17	2600	4.73	1250	1.09	0.19	3120X	3.67	1029	0.88	0.24
1860	4.27	1158	0.94	0.19	2623	11.06	1250	2.21	0.16	3122	6.55	1250	1.41	0.19

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3126	6.03	1250	1.28	0.17	3808	7.18	1250	1.44	0.16	4432	4.19	1141	0.98	0.23
3131	3.70	1036	0.77	0.17	3821	22.26	1250	4.56	0.16	4439	3.83	1063	0.81	0.17
3132	8.70	1250	1.83	0.17	3822X	13.07	1250	2.65	0.16	4452	8.15	1250	1.71	0.17
3145	6.06	1250	1.25	0.17	3824X	13.10	1250	2.63	0.16	4459	5.76	1250	1.21	0.17
3146	5.90	1250	1.24	0.17	3826	2.94	872	0.63	0.17	4470D	6.20	1250	1.27	0.17
3169	12.15	1250	2.50	0.17	3827	3.81	1059	0.77	0.16	4484	6.58	1250	1.37	0.17
3175D	6.55	1250	1.37	0.17	3830	2.39	754	0.48	0.16	4493D	5.82	1250	1.19	0.17
3179	5.03	1250	1.12	0.19	3851	7.72	1250	1.69	0.19	4511	1.88	644	0.38	0.16
3180	8.13	1250	1.76	0.19	3865	4.70	1250	1.11	0.23	4557	4.40	1186	0.99	0.19
3188D	5.51	1250	1.22	0.19	3881	9.65	1250	2.05	0.17	4558D	3.80	1057	0.79	0.17
3220	6.41	1250	1.35	0.17	4000	12.58	1250	2.11	0.13	4561	-	-	0.81	0.17
3223	8.94	1250	2.05	0.23	4021	9.92	1250	1.86	0.14	4568	8.67	1250	1.61	0.14
3224	8.18	1250	1.87	0.19	4024D	9.13	1250	1.75	0.15	4581	4.16	1134	0.69	0.12
3227	17.18	1250	3.67	0.19	4034	13.54	1250	2.50	0.14	4583	8.40	1250	1.38	0.12
3240	5.03	1250	1.11	0.19	4036	7.07	1250	1.31	0.14	4611	2.15	702	0.48	0.19
3241	8.59	1250	1.81	0.17	4038	7.34	1250	1.73	0.23	4635	5.03	1250	0.70	0.12
3255	4.87	1250	1.15	0.23	4053	10.68	1250	2.14	0.17	4653	4.13	1128	0.93	0.19
3257	13.56	1250	2.78	0.17	4061	15.85	1250	3.61	0.19	4665	20.28	1250	3.77	0.14
3270	5.08	1250	1.07	0.17	4062	4.89	1250	1.03	0.17	4670	11.55	1250	2.23	0.15
3300	10.98	1250	2.34	0.17	4101	7.34	1250	1.45	0.16	4683	6.33	1250	1.33	0.17
3303	6.33	1250	1.41	0.19	4109	2.23	719	0.50	0.19	4686	4.65	1240	0.87	0.14
3307	18.35	1250	3.71	0.17	4110	2.91	866	0.63	0.18	4692	1.90	649	0.42	0.19
3315	11.47	1250	2.48	0.19	4111	14.87	1250	3.44	0.19	4693	3.70	1036	0.79	0.18
3334	7.45	1250	1.62	0.18	4112	-	-	0.63	0.18	4703	6.17	1250	1.31	0.17
3336D	6.66	1250	1.21	0.14	4113	3.78	1053	0.81	0.17	4717	5.49	1250	1.28	0.23
3365D	24.13	1250	4.53	0.14	4114	12.31	1250	2.59	0.17	4720	4.48	1203	0.94	0.17
3372	10.68	1250	2.15	0.16	4130	8.94	1250	1.91	0.17	4740	1.82	631	0.34	0.14
3373	10.95	1250	2.29	0.17	4131	7.94	1250	1.74	0.19	4741	5.27	1250	1.12	0.17
3383	3.83	1063	0.86	0.19	4133	10.55	1250	2.19	0.18	4751	6.58	1250	1.18	0.14
3385	2.42	760	0.54	0.19	4149	1.69	603	0.40	0.23	4766NX	7.04	1250	1.02	0.12
3400	7.12	1250	1.41	0.16	4150	-	-	0.40	0.23	4771NX	6.60	1250	0.90	0.11
3507	10.49	1250	2.23	0.17	4206	11.33	1250	2.49	0.18	4777	13.89	1250	1.90	0.11
3515	5.14	1250	1.10	0.17	4207	2.58	795	0.49	0.15	4825	1.96	661	0.36	0.14
3548	3.70	1036	0.78	0.17	4239	5.68	1250	1.09	0.15	4828	3.02	889	0.61	0.16
3559	5.35	1250	1.12	0.17	4240	6.36	1250	1.41	0.19	4829	3.04	894	0.51	0.12
3574	2.50	778	0.56	0.19	4243	5.22	1250	1.11	0.17	4902	5.76	1250	1.28	0.19
3581	4.29	1162	0.97	0.19	4244	7.47	1250	1.59	0.17	4923	3.81	1059	0.79	0.17
3612	8.26	1250	1.66	0.16	4250	4.21	1145	0.89	0.17	5020	16.09	1250	3.02	0.14
3620	9.11	1250	1.74	0.15	4251	5.57	1250	1.17	0.17	5022	22.18	1250	3.63	0.12
3629	4.24	1152	0.96	0.19	4263	5.63	1250	1.19	0.17	5037	59.66	1250	8.99	0.13
3632	9.87	1250	2.01	0.16	4273	5.98	1250	1.26	0.17	5040	42.67	1250	6.05	0.12
3634	4.73	1250	1.05	0.19	4279	7.37	1250	1.54	0.17	5057	23.81	1250	3.28	0.11
3635	7.23	1250	1.57	0.18	4282	5.79	1250	1.34	0.19	5059	57.73	1250	7.94	0.11
3638	3.97	1094	0.88	0.19	4283	7.94	1250	1.66	0.17	5069	92.44	1250	13.51	0.12
3642	2.47	771	0.52	0.17	4299	4.00	1100	0.90	0.19	5102	11.01	1250	1.85	0.13
3643	6.03	1250	1.28	0.17	4304	9.51	1250	1.90	0.16	5146	11.36	1250	2.17	0.15
3647D	6.60	1250	1.25	0.16	4307	4.05	1111	0.96	0.23	5160	9.73	1250	1.59	0.12
3648	2.50	778	0.57	0.19	4351	2.23	719	0.47	0.17	5183	7.53	1250	1.43	0.15
3681	3.18	924	0.70	0.19	4352	3.40	971	0.75	0.19	5188	8.56	1250	1.65	0.15
3685	2.20	713	0.49	0.19	4360	2.85	853	0.65	0.19	5190	9.05	1250	1.70	0.14
3719	6.58	1250	0.93	0.12	4361	5.90	1250	1.28	0.19	5191	2.50	778	0.53	0.17
3724	13.26	1250	2.23	0.13	4362	-	-	0.65	0.19	5192	14.98	1250	3.19	0.17
3726	11.96	1250	1.70	0.12	4410	9.27	1250	1.96	0.17	5213	12.56	1250	2.10	0.13
3803	5.38	1250	1.15	0.17	4420	13.43	1250	2.33	0.13	5215	10.38	1250	2.14	0.16
3807	4.89	1250	1.09	0.19	4431	3.04	894	0.72	0.24	5221	9.62	1250	1.81	0.15

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5222	26.99	1250	4.52	0.13	6702M*	16.77	1250	3.17	0.15	7421	2.45	767	0.42	0.13
5223	10.84	1250	2.06	0.15	6703M*	38.43	1250	6.93	0.15	7422	3.15	917	0.47	0.13
5348	12.67	1250	2.41	0.15	6704M*	18.65	1250	3.53	0.15	7423	-	-	0.94	0.14
5402	10.38	1250	2.35	0.19	6801F	9.87	1250	1.55	0.14	7425	7.64	1250	1.19	0.14
5403	24.57	1250	4.05	0.12	6811	11.52	1250	2.22	0.15	7431N	2.80	1162	0.42	0.13
5437	14.38	1250	2.68	0.14	6824F	23.02	1250	3.29	0.12	7445N	1.11	-	-	-
5443	8.34	1250	1.76	0.17	6826F	14.87	1250	2.34	0.13	7453N	1.49	-	-	-
5445	16.72	1250	2.80	0.13	6834	13.97	1250	2.75	0.16	7500X	7.34	1250	1.36	0.14
5462	17.48	1250	3.30	0.15	6836	8.26	1250	1.54	0.14	7502	4.89	1250	0.91	0.14
5472	13.75	1250	1.94	0.12	6843F	42.10	1250	5.22	0.11	7515	3.32	954	0.48	0.12
5473	25.14	1250	3.43	0.11	6845F	29.84	1250	3.70	0.11	7520	8.67	1250	1.82	0.17
5474	17.10	1250	2.86	0.12	6854	10.11	1250	1.41	0.12	7538	31.61	1250	4.34	0.11
5478	12.37	1250	2.39	0.15	6872F	32.10	1250	3.98	0.11	7539	9.35	1250	1.56	0.12
5479	16.31	1250	3.30	0.16	6874F	54.69	1250	6.78	0.11	7540	8.56	1250	1.18	0.11
5480	15.08	1250	2.53	0.13	6882	8.43	1250	1.21	0.12	7570X	4.76	1250	1.05	0.16
5491	7.86	1250	1.28	0.12	6884	19.13	1250	2.71	0.12	7580	4.89	1250	0.91	0.14
5506	16.20	1250	2.24	0.11	7016M	6.20	1250	0.91	0.12	7590	11.17	1250	2.26	0.16
5507	14.35	1250	2.32	0.12	7024M	6.88	1250	1.01	0.12	7600	8.62	1250	1.63	0.15
5508D	28.43	1250	5.42	0.15	7038M	9.19	1250	1.27	0.11	7601	10.82	1250	1.83	0.13
5535	14.87	1250	2.79	0.14	7046M	22.07	1250	3.14	0.12	7605	7.18	1250	1.36	0.15
5537	9.68	1250	1.83	0.15	7047M	14.19	1250	1.99	0.12	7610	1.30	520	0.26	0.16
5538	-	-	2.86	0.14	7050M	21.06	1250	2.77	0.11	7611	9.46	1250	1.79	0.15
5551	46.99	1250	6.37	0.11	7090M	10.22	1250	1.41	0.11	7612	13.54	1250	2.59	0.15
5606	3.29	947	0.55	0.12	7098M	24.52	1250	3.49	0.12	7613	11.04	1250	2.10	0.15
5610	14.81	1250	3.07	0.17	7099M	50.55	1250	6.87	0.12	7704	-	-	1.81	0.12
5645	33.16	1250	5.41	0.12	7133	11.14	1250	1.88	0.13	7705	12.39	1250	2.50	0.16
5651	33.16	1250	5.41	0.12	7151M	13.54	1250	2.28	0.13	7710	11.33	1250	1.81	0.12
5703	51.48	1250	9.53	0.14	7152M	31.01	1250	4.99	0.13	7711	11.33	1250	1.81	0.12
5705	19.95	1250	3.61	0.14	7153M	15.06	1250	2.54	0.13	7720	9.49	1250	1.76	0.14
5951	1.52	567	0.34	0.19	7222	22.12	1250	4.23	0.15	7855	13.81	1250	2.61	0.15
6003	17.88	1250	3.40	0.15	7228	13.62	1250	2.63	0.15	8001	8.15	1250	1.79	0.19
6005	12.42	1250	2.40	0.15	7229	17.99	1250	3.12	0.13	8002	9.21	1250	1.90	0.17
6017	17.29	1250	3.41	0.15	7230	15.38	1250	3.03	0.16	8006	6.01	1250	1.25	0.17
6018	6.09	1250	1.21	0.15	7231	19.54	1250	3.96	0.16	8008	4.02	1104	0.87	0.19
6045	8.32	1250	1.68	0.15	7232	12.10	1250	2.06	0.13	8010	5.30	1250	1.16	0.19
6204	25.96	1250	4.35	0.13	7309F	39.68	1250	4.92	0.11	8013	1.01	457	0.21	0.17
6206	12.91	1250	1.70	0.11	7313F	11.20	1250	1.39	0.11	8015	1.55	573	0.33	0.17
6213	5.68	1250	0.96	0.13	7317F	24.65	1250	3.05	0.11	8017	4.32	1169	0.95	0.19
6214	8.51	1250	1.21	0.12	7327F	35.93	1250	4.46	0.11	8018	6.58	1250	1.46	0.19
6216	18.07	1250	2.52	0.12	7333M	9.11	1250	1.38	0.13	8021	5.76	1250	1.19	0.17
6217	13.51	1250	2.26	0.13	7335M	10.11	1250	1.53	0.13	8031	8.10	1250	1.67	0.17
6229	11.52	1250	1.90	0.12	7337M	20.85	1250	3.01	0.13	8032	4.97	1250	1.10	0.19
6233	14.27	1250	2.43	0.13	7350F	19.11	1250	2.73	0.12	8033	5.22	1250	1.09	0.17
6235	21.06	1250	3.04	0.12	7360	10.44	1250	1.95	0.14	8037	4.32	1169	0.95	0.19
6236	32.53	1250	6.17	0.15	7370	9.95	1250	2.08	0.17	8039	4.19	1141	0.92	0.19
6237	4.32	1169	0.82	0.15	7380	11.28	1250	2.31	0.16	8044	9.08	1250	1.81	0.16
6251D	26.48	1250	4.69	0.14	7382	10.25	1250	2.17	0.17	8045	1.55	573	0.34	0.19
6252D	22.75	1250	3.15	0.12	7390	13.26	1250	2.85	0.17	8046	6.85	1250	1.43	0.17
6260	35.74	1250	5.90	0.15	7394M	15.08	1250	2.24	0.13	8047	4.59	1227	0.99	0.19
6306	15.95	1250	2.60	0.12	7395M	16.77	1250	2.49	0.13	8058	8.56	1250	1.78	0.17
6319	16.28	1250	2.69	0.12	7398M	34.57	1250	4.90	0.13	8072	3.29	947	0.70	0.19
6325	19.68	1250	3.14	0.12	7402	0.60	369	0.13	0.17	8102	4.81	1250	1.07	0.19
6400	15.76	1250	3.20	0.16	7403	5.03	1250	0.94	0.14	8103	7.86	1250	1.52	0.16
6503	5.98	1250	1.33	0.19	7405N	2.09	928	0.40	0.15	8105	13.70	1250	3.10	0.19
6504	5.98	1250	1.33	0.19	7420	25.63	1250	3.81	0.13	8106	12.23	1250	2.31	0.15

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8107	9.62	1250	1.83	0.15	8820	0.41	328	0.08	0.16	9516	11.06	1250	2.06	0.14
8111	9.49	1250	1.97	0.17	8824	7.47	1250	1.66	0.19	9519	8.15	1250	1.56	0.15
8116	10.65	1250	2.21	0.17	8825	4.59	1227	1.08	0.23	9521	8.86	1250	1.67	0.15
8203	10.79	1250	2.28	0.17	8826	6.99	1250	1.48	0.17	9522	4.70	1250	1.00	0.17
8204	10.30	1250	1.90	0.14	8829	7.07	1250	1.49	0.17	9534	12.69	1250	2.15	0.13
8209	10.27	1250	2.15	0.17	8831	4.29	1162	0.88	0.17	9554	26.55	1250	4.35	0.12
8215	9.02	1250	1.64	0.14	8832	0.95	444	0.20	0.17	9586	1.74	614	0.41	0.23
8227	12.39	1250	1.77	0.12	8833	3.32	954	0.70	0.17	9600	5.14	1250	1.17	0.19
8232	10.11	1250	1.92	0.15	8835	6.90	1250	1.47	0.17	9620	3.78	1053	0.74	0.16
8233	12.99	1250	2.45	0.15	8842	6.14	1250	1.27	0.17					
8235	9.76	1250	2.08	0.17	8855	0.60	369	0.13	0.17					
8263	19.00	1250	3.85	0.16	8856	0.60	369	0.13	0.17					
8264	10.76	1250	2.02	0.14	8861	-	-	1.12	0.17					
8265	19.46	1250	3.12	0.12	8864	5.41	1250	1.12	0.17					
8279	15.17	1250	2.48	0.12	8868	1.14	485	0.25	0.19					
8288	17.88	1250	3.23	0.14	8869	2.77	836	0.60	0.19					
8291	8.81	1250	1.75	0.16	8871	0.71	393	0.16	0.19					
8292	11.12	1250	2.31	0.17	8901	0.46	339	0.10	0.16					
8293	20.85	1250	3.89	0.14	9012	3.86	1070	0.77	0.16					
8295X	6.03	1250	1.29	0.17	9014	9.00	1250	1.88	0.17					
8304	17.50	1250	3.26	0.14	9015	9.38	1250	1.96	0.17					
8350	13.35	1250	2.26	0.13	9016	5.49	1250	1.14	0.17					
8353X	16.31	1250	2.94	0.14	9019	3.72	1040	0.71	0.15					
8380	11.82	1250	2.38	0.16	9033	5.41	1250	1.15	0.17					
8381	7.07	1250	1.40	0.16	9040	11.99	1250	2.60	0.19					
8385	15.14	1250	2.81	0.14	9052	6.36	1250	1.41	0.19					
8392	7.15	1250	1.49	0.17	9058	3.78	1053	0.88	0.23					
8393	4.38	1182	0.94	0.18	9059	-	-	0.60	0.19					
8399X	21.34	1250	4.78	0.18	9060	3.34	958	0.73	0.19					
8500	22.23	1250	4.00	0.14	9061	3.75	1046	0.88	0.23					
8601	1.90	649	0.38	0.16	9063	4.08	1117	0.86	0.18					
8602	1.90	649	0.38	0.16	9077F	6.82	1250	1.16	0.17					
8603	0.60	369	0.13	0.17	9082	4.65	1240	1.08	0.23					
8606	9.16	1250	1.57	0.13	9083	4.21	1145	0.98	0.23					
8709F	14.60	1250	1.81	0.11	9084	4.24	1152	0.88	0.17					
8719	8.02	1250	1.12	0.12	9088a	a	a	a	a					
8720	6.60	1250	1.19	0.14	9089	2.42	760	0.56	0.19					
8721	0.79	410	0.15	0.14	9093	3.70	1036	0.80	0.19					
8723	0.60	369	0.13	0.17	9101	6.55	1250	1.43	0.19					
8725	6.60	1250	1.19	0.14	9102	6.20	1250	1.29	0.17					
8726F	6.03	1250	0.95	0.13	9110	-	-	1.12	0.17					
8734M	1.69	603	0.32	0.17	9154	3.86	1070	0.82	0.17					
8737M	1.52	567	0.29	0.17	9156	5.19	1250	1.03	0.16					
8738M	3.48	988	0.61	0.14	9170	10.90	1250	1.48	0.14					
8742	1.25	509	0.23	0.14	9178	13.07	1250	3.02	0.23					
8745	11.85	1250	2.36	0.16	9179	94.99	1250	21.31	0.19					
8748	1.85	638	0.37	0.16	9180	11.90	1250	2.15	0.14					
8755	1.06	468	0.20	0.15	9182	5.25	1250	1.07	0.17					
8799	2.42	760	0.51	0.17	9186	35.74	1250	5.77	0.12					
8800	3.34	958	0.78	0.23	9220	14.00	1250	2.76	0.16					
8803	0.22	287	0.04	0.14	9402	19.46	1250	3.55	0.14					
8805M	0.82	416	0.17	0.17	9403	19.05	1250	3.15	0.12					
8810	0.60	369	0.13	0.17	9410	4.08	1117	0.86	0.17					
8814M	0.73	397	0.16	0.17	9501	6.71	1250	1.36	0.16					
8815M	1.66	597	0.35	0.17	9505	12.80	1250	2.46	0.16					

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.65	S	1741D	0.46	S	3647D	0.43	L
0065D	0.11	S	1803D	0.87	S	4024D	0.05	S
0066D	0.11	S	1852D	0.16	Asb	4470D	0.03	B,L
0067D	0.11	S	3081D	0.16	S	4493D	0.22	B
1164D	0.11	S	3082D	0.14	S	4558D	0.08	L
1165D	0.05	S	3085D	0.16	S	5508D	0.11	S
1430D	1.14	L	3175D	0.05	S	6251D	0.14	S
1438D	0.60	S	3188D	0.05	L	6252D	0.11	S
1624D	0.08	S	3336D	0.11	L			
1710D	0.08	S	3365D	0.05	L			

S=Silica, Asb=Asbestos, L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$10.70. (For coverage written separately for federal benefits only, \$5.72. For coverage written separately for state benefits only, \$4.98.)
- 1016 Rate includes a non-ratable disease element of \$20.81. (For coverage written separately for federal benefits only, \$11.13. For coverage written separately for state benefits only, \$9.68.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.784 and elr x 2.657.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$58,900.00
Leased or rented vehicle.....	\$39,300.00

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$240.00

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40
Minimum Premium Factor	0.75
Maximum Premium Factor	1.75
Loss Conversion Factor	1.197
Tax Multiplier	1.077

Loss Development Factors	
1st Adjustment	0.31
2nd Adjustment	0.27
3rd Adjustment	0.17
4th Adjustment	0.14

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports" and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,000.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers"..... \$750.00

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is:

Maximum surcharge per aircraft.....	\$1,000
Per passenger seat.....	\$100

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3..... \$39,300.00

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.7%	0.6%	0.5%	0.4%	0.3%	0.2%	0.1%
\$200	1.4%	1.1%	0.9%	0.7%	0.6%	0.4%	0.3%
\$300	2.1%	1.6%	1.3%	1.1%	0.9%	0.6%	0.4%
\$400	2.7%	2.0%	1.7%	1.4%	1.1%	0.8%	0.6%
\$500	3.2%	2.4%	2.0%	1.7%	1.4%	0.9%	0.7%
\$1,000	4.9%	3.9%	3.3%	2.7%	2.3%	1.5%	1.1%
\$1,500	6.1%	4.9%	4.1%	3.5%	2.9%	2.0%	1.5%
\$2,000	6.9%	5.6%	4.8%	4.0%	3.4%	2.4%	1.8%
\$2,500	7.7%	6.2%	5.3%	4.5%	3.8%	2.7%	2.0%

Terrorism (Assigned Risk)..... 0.02

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 113%

(Multiply a Non-F classification rate by a factor of 2.13 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (2.03) and the adjustment for differences in loss-based expenses (1.05).)

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$10,000. If more than two years, an average annual premium of at least \$5,000 is required. Page A-1 of the *Experience Rating Plan Manual* should be referenced for the latest approved eligibility amounts by state.