

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2020

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	5.42	1325	1.37	0.37	1925	6.97	1500	1.65	0.35	2688	4.53	1134	1.17	0.39
0008	5.04	1244	1.20	0.35	2002	4.75	1181	1.23	0.39	2701	19.71	1500	4.43	0.32
0016	10.56	1500	2.34	0.31	2003	5.94	1437	1.50	0.37	2702	20.28	1500	3.86	0.25
0034	6.63	1500	1.67	0.37	2014	7.84	1500	1.75	0.31	2709	19.86	1500	4.45	0.31
0035	4.01	1022	1.04	0.39	2016	4.48	1123	1.17	0.39	2710	12.49	1500	2.57	0.28
0036	9.17	1500	2.31	0.37	2021	4.08	1037	0.97	0.35	2714	7.07	1500	1.84	0.39
0037	7.74	1500	1.84	0.35	2039	5.17	1272	1.34	0.39	2731	6.08	1467	1.35	0.31
0042	9.52	1500	2.26	0.35	2041	4.23	1069	1.11	0.39	2735	5.76	1398	1.49	0.39
0050	10.02	1500	2.52	0.37	2065	4.62	1153	1.17	0.37	2759	8.85	1500	2.30	0.39
0059D	0.40	-	0.04	0.31	2070	8.43	1500	2.13	0.37	2790	3.02	809	0.78	0.39
0065D	0.07	-	0.01	0.31	2081	4.65	1160	1.17	0.37	2797	8.24	1500	2.06	0.37
0066D	0.07	-	0.01	0.31	2089	5.76	1398	1.45	0.37	2799	10.61	1500	2.53	0.35
0067D	0.07	-	0.01	0.31	2095	5.34	1308	1.35	0.37	2802	8.83	1500	2.10	0.35
0079	6.33	1500	1.40	0.31	2101	-	-	1.35	0.37	2804	-	-	1.14	0.41
0083	9.69	1500	2.45	0.37	2105	5.79	1405	1.50	0.39	2835	3.96	1011	1.09	0.41
0106	19.22	1500	3.95	0.28	2110	3.36	882	0.88	0.39	2836	4.65	1160	1.29	0.42
0113	7.47	1500	1.88	0.37	2111	5.04	1244	1.30	0.39	2841	5.07	1250	1.31	0.39
0170	5.49	1340	1.38	0.37	2112	6.41	1500	1.66	0.39	2881	4.15	1052	1.14	0.41
0251	5.71	1388	1.44	0.37	2114	4.35	1095	1.13	0.39	2883	5.17	1272	1.30	0.37
0400	-	-	0.87	0.35	2121	1.98	586	0.50	0.37	2913	-	-	1.30	0.37
0401	21.81	A	4.48	0.28	2130	3.17	842	0.80	0.37	2915	6.95	1500	1.65	0.35
0766N	0.87	-	-	-	2143	4.20	1063	1.10	0.39	2916	6.11	1474	1.25	0.28
0771N	0.84	-	-	-	2157	7.42	1500	1.89	0.37	2923	3.36	882	0.88	0.39
0908P	279.00	439	70.20	0.37	2172	2.15	622	0.52	0.35	2942	-	-	0.53	0.41
0913P	974.00	1134	248.37	0.37	2174	4.53	1134	1.18	0.39	2960	8.16	1500	2.08	0.37
0917	7.64	1500	1.99	0.39	2211	12.79	1500	2.85	0.31	3004	2.00	590	0.45	0.31
1005*	9.69	1500	1.55	0.26	2220	3.31	872	0.84	0.37	3018	3.76	968	0.84	0.31
1016X*	23.82	1500	3.63	0.26	2286	3.14	835	0.82	0.39	3022	5.79	1405	1.51	0.39
1164D	5.64	1373	1.07	0.26	2288	5.32	1304	1.38	0.39	3027	3.59	932	0.80	0.31
1165D	4.74	1179	0.98	0.28	2300	-	-	1.22	0.37	3028	4.80	1192	1.21	0.37
1320	2.47	691	0.51	0.28	2302	3.76	968	0.95	0.37	3030	6.53	1500	1.45	0.31
1322	17.76	1500	3.66	0.28	2305	3.51	915	0.84	0.35	3040	9.40	1500	2.09	0.31
1420	-	-	1.11	0.28	2361	3.81	979	0.96	0.37	3041	6.43	1500	1.62	0.37
1430D	6.56	1500	1.36	0.31	2362	2.84	771	0.71	0.37	3042	6.28	1500	1.50	0.35
1438D	10.12	1500	1.99	0.28	2380	3.29	867	0.83	0.37	3064	6.11	1474	1.55	0.37
1452	4.20	1063	0.94	0.31	2386	-	-	1.22	0.37	3069	-	-	1.22	0.37
1463	13.30	1500	2.74	0.28	2388	2.45	687	0.63	0.39	3076	4.82	1196	1.22	0.37
1472	4.18	1059	0.87	0.28	2402	4.60	1149	1.02	0.31	3081D	5.98	1446	1.32	0.31
1473X	1.63	510	0.36	0.31	2413	3.44	900	0.86	0.37	3082D	6.85	1500	1.49	0.31
1474	-	-	0.87	0.28	2416	2.65	730	0.67	0.37	3085D	6.92	1500	1.51	0.31
1624D	5.41	1323	1.11	0.28	2417	1.90	569	0.48	0.37	3110	6.23	1499	1.58	0.37
1642	2.99	803	0.66	0.31	2501	4.82	1196	1.22	0.37	3111	3.71	958	0.94	0.37
1654	7.27	1500	1.64	0.32	2503	1.98	586	0.51	0.39	3113	3.09	824	0.78	0.37
1655	-	-	0.66	0.31	2534	-	-	1.22	0.37	3114	4.65	1160	1.18	0.37
1699	8.36	1500	1.85	0.31	2570	5.09	1254	1.33	0.39	3117	-	-	0.93	0.39
1701	4.40	1106	0.98	0.31	2585	5.81	1409	1.52	0.39	3118	3.56	925	0.93	0.39
1710D	6.60	1500	1.47	0.31	2586	4.06	1033	1.02	0.37	3119	1.34	448	0.37	0.41
1741	-	-	0.98	0.31	2587	3.91	1001	1.02	0.39	3120	-	-	1.08	0.37
1747	4.18	1059	0.94	0.32	2589	4.80	1192	1.20	0.37	3122	3.31	872	0.86	0.39
1748	8.06	1500	1.77	0.31	2600	6.03	1456	1.58	0.39	3126	2.13	618	0.54	0.37
1803D	12.07	1500	2.38	0.28	2623	11.15	1500	2.65	0.35	3131	2.75	751	0.69	0.37
1852	-	-	0.66	0.24	2651	2.67	734	0.69	0.39	3132	5.49	1340	1.38	0.37
1853	-	-	0.98	0.31	2660	3.88	994	1.01	0.39	3145	4.08	1037	1.03	0.37
1860	-	-	0.96	0.37	2670	3.71	958	1.01	0.41	3146	4.11	1044	1.04	0.37
1924	3.14	835	0.82	0.39	2683	3.76	968	0.97	0.39	3169	4.08	1037	1.03	0.37

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2020

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3175	—	—	1.03	0.37	3830	1.43	467	0.34	0.35	4558D	2.42	680	0.60	0.37
3179	2.89	781	0.76	0.39	3851	3.64	943	0.95	0.39	4568	7.67	1500	1.69	0.31
3180	3.31	872	0.86	0.39	3865	3.46	904	0.94	0.41	4581	1.48	478	0.30	0.28
3188D	3.46	904	0.89	0.39	3881	6.38	1500	1.61	0.37	4583	6.75	1500	1.39	0.28
3220	2.60	719	0.66	0.37	4000	6.63	1500	1.37	0.28	4611	1.63	510	0.43	0.39
3223	—	—	0.86	0.39	4021	7.15	1500	1.59	0.31	4635	4.58	1145	0.87	0.25
3224	4.67	1164	1.23	0.39	4024D	6.28	1500	1.40	0.31	4653	2.23	639	0.58	0.39
3227	4.95	1224	1.29	0.39	4034	9.15	1500	2.04	0.31	4665	12.29	1500	2.74	0.31
3240	4.65	1160	1.21	0.39	4036	3.56	925	0.79	0.31	4670	—	—	1.57	0.37
3241	5.76	1398	1.45	0.37	4038	4.08	1037	1.13	0.42	4683	6.18	1489	1.57	0.37
3255	3.14	835	0.86	0.41	4053	—	—	1.00	0.37	4686	3.39	889	0.76	0.31
3257	6.63	1500	1.67	0.37	4061	—	—	1.00	0.37	4692	0.92	358	0.24	0.39
3270	4.30	1085	1.08	0.37	4062	3.96	1011	1.00	0.37	4693	1.58	500	0.40	0.37
3300	5.94	1437	1.49	0.37	4101	3.36	882	0.81	0.35	4703	2.77	756	0.70	0.37
3303	3.88	994	1.00	0.39	4109	0.69	308	0.18	0.39	4717	3.17	842	0.87	0.42
3307	5.04	1244	1.27	0.37	4110	1.26	431	0.32	0.37	4720	3.88	994	0.99	0.37
3315	5.54	1351	1.45	0.39	4111	2.42	680	0.63	0.39	4740	1.61	506	0.36	0.31
3334	3.49	910	0.89	0.37	4113	—	—	0.63	0.39	4741	5.04	1244	1.28	0.37
3336D	3.73	962	0.82	0.31	4114	4.06	1033	1.03	0.37	4751	4.06	1033	0.90	0.31
3365D	9.76	1500	2.18	0.31	4130	5.81	1409	1.46	0.37	4766NX	6.38	1500	1.21	0.25
3372	6.33	1500	1.51	0.35	4131	7.30	1500	1.89	0.39	4771NX	4.75	1362	0.89	0.24
3373	6.26	1500	1.58	0.37	4133	3.56	925	0.91	0.39	4777	7.17	1500	1.35	0.25
3383	2.47	691	0.64	0.39	4149	1.06	388	0.30	0.42	4825	1.56	495	0.34	0.31
3385	1.26	431	0.33	0.39	4206	4.48	1123	1.13	0.37	4828	2.70	741	0.64	0.35
3400	5.09	1254	1.21	0.35	4207	2.60	719	0.59	0.32	4829	1.48	478	0.31	0.28
3507	4.60	1149	1.16	0.37	4239	3.44	900	0.77	0.31	4902	3.71	958	0.96	0.39
3515	3.96	1011	1.00	0.37	4240	5.02	1239	1.30	0.39	4923	1.36	452	0.35	0.37
3548	1.61	506	0.41	0.37	4243	3.29	867	0.83	0.37	5020	10.36	1500	2.32	0.31
3559	3.96	1011	1.00	0.37	4244	3.71	958	0.94	0.37	5022	12.79	1500	2.65	0.28
3574	1.71	528	0.44	0.39	4250	2.60	719	0.65	0.37	5037	27.94	1500	5.33	0.26
3581	1.71	528	0.44	0.39	4251	3.81	979	0.96	0.37	5040	12.79	1500	2.44	0.26
3612	3.66	947	0.88	0.35	4263	4.60	1149	1.16	0.37	5057	5.84	1416	1.11	0.25
3620	5.09	1254	1.14	0.31	4273	3.49	910	0.88	0.37	5059	36.80	1500	6.94	0.25
3629	2.30	655	0.60	0.39	4279	3.76	968	0.96	0.37	5069	—	—	6.94	0.25
3632	4.30	1085	1.02	0.35	4282	—	—	0.96	0.37	5102	8.85	1500	1.83	0.28
3634	3.02	809	0.78	0.39	4283	2.23	639	0.57	0.37	5146	7.34	1500	1.64	0.31
3635	4.03	1026	1.02	0.37	4299	2.87	777	0.74	0.39	5160	4.03	1026	0.84	0.28
3638	3.04	814	0.79	0.39	4304	6.65	1500	1.58	0.35	5183	5.04	1244	1.13	0.31
3642	1.90	569	0.48	0.37	4307	2.65	730	0.73	0.41	5188	6.63	1500	1.49	0.31
3643	3.21	850	0.81	0.37	4351	1.31	442	0.33	0.37	5190	5.39	1319	1.20	0.31
3647D	3.96	1011	0.88	0.35	4352	2.72	745	0.70	0.39	5191	1.53	489	0.39	0.37
3648	2.89	781	0.75	0.39	4360	—	—	0.23	0.35	5192	5.81	1409	1.47	0.37
3681	1.61	506	0.42	0.39	4361	1.90	569	0.50	0.39	5213	10.58	1500	2.18	0.28
3685	1.56	495	0.40	0.39	4410	5.34	1308	1.35	0.37	5215	9.05	1500	2.16	0.35
3719	1.93	575	0.37	0.25	4420	6.08	1467	1.26	0.28	5221	7.54	1500	1.68	0.31
3724	5.14	1265	1.07	0.28	4431	2.20	633	0.61	0.42	5222	14.69	1500	3.05	0.28
3726	5.51	1345	1.05	0.25	4432	1.93	575	0.53	0.41	5223	11.38	1500	2.54	0.31
3803	3.26	861	0.83	0.37	4439	—	—	0.60	0.37	5348	6.70	1500	1.50	0.31
3807	4.06	1033	1.06	0.39	4452	5.32	1304	1.34	0.37	5402	8.41	1500	2.19	0.39
3808	7.94	1500	1.90	0.35	4459	5.27	1293	1.33	0.37	5403	9.72	1500	2.01	0.28
3821	13.35	1500	3.18	0.35	4470D	4.10	1042	1.03	0.37	5437	9.62	1500	2.16	0.31
3822	5.61	1366	1.33	0.35	4484	4.58	1145	1.15	0.37	5443	9.77	1500	2.48	0.37
3824	8.26	1500	1.96	0.35	4493D	4.35	1095	1.05	0.37	5445	12.91	1500	2.66	0.28
3826	2.87	777	0.73	0.37	4511	1.14	405	0.27	0.35	5462	10.34	1500	2.31	0.31
3827	3.64	943	0.87	0.35	4557	4.06	1033	1.05	0.39	5472	9.47	1500	1.80	0.25

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2020

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5473	13.95	1500	2.65	0.25	6872F	17.56	1500	3.25	0.21	7538	10.41	1500	1.97	0.25
5474	8.56	1500	1.77	0.28	6874F	28.61	1500	5.27	0.22	7539	2.70	741	0.55	0.28
5478	9.52	1500	2.14	0.31	6882	5.27	1293	1.00	0.25	7540	3.91	1001	0.73	0.25
5479	10.68	1500	2.54	0.35	6884	5.98	1446	1.14	0.25	7570	-	-	0.55	0.28
5480	9.20	1500	1.91	0.28	7016M	3.51	915	0.68	0.26	7580	4.60	1149	1.02	0.31
5491	4.35	1095	0.90	0.28	7024M	3.91	1001	0.75	0.26	7590	4.67	1164	1.11	0.35
5506	10.07	1500	1.91	0.25	7038M	9.05	1500	1.68	0.24	7600	7.34	1500	1.65	0.31
5507	7.12	1500	1.47	0.28	7046M	14.02	1500	2.66	0.25	7605	3.76	968	0.84	0.31
5508	-	-	1.47	0.28	7047M	5.29	1297	0.97	0.26	7610	0.99	373	0.23	0.35
5535	13.45	1500	2.99	0.31	7050M	16.12	1500	2.87	0.24	7705	9.82	1500	2.34	0.35
5537	8.09	1500	1.80	0.31	7090M	10.07	1500	1.87	0.24	7710	5.39	1319	1.10	0.28
5551	29.70	1500	5.60	0.25	7098M	15.58	1500	2.96	0.25	7711	5.39	1319	1.10	0.28
5606	1.81	549	0.37	0.28	7099M	24.36	1500	4.42	0.25	7720	5.89	1426	1.30	0.31
5610	10.86	1500	2.75	0.37	7133	4.80	1192	0.99	0.28	7855	5.91	1431	1.32	0.31
5645	22.73	1500	4.66	0.28	7151M	5.84	1416	1.20	0.28	8001	4.35	1095	1.13	0.39
5703	19.93	1500	4.42	0.31	7152M	10.19	1500	2.01	0.28	8002	3.91	1001	0.98	0.37
5705	23.64	1500	5.23	0.31	7153M	6.48	1500	1.33	0.28	8006	3.98	1016	1.00	0.37
5951	0.59	287	0.15	0.39	7219	12.12	1500	2.52	0.28	8008	2.42	680	0.63	0.39
6003	11.20	1500	2.52	0.32	7222	17.39	1500	3.84	0.31	8010	3.66	947	0.95	0.39
6005	6.45	1500	1.44	0.31	7225	9.27	1500	2.08	0.31	8013	0.74	319	0.19	0.37
6017	-	-	2.18	0.28	7228	-	-	2.52	0.28	8015	1.56	495	0.39	0.37
6018	3.39	889	0.77	0.32	7229	-	-	2.52	0.28	8017	2.89	781	0.75	0.39
6045	7.15	1500	1.62	0.32	7230	11.80	1500	2.82	0.35	8018	4.65	1160	1.21	0.39
6204	12.56	1500	2.60	0.28	7231	13.08	1500	3.14	0.35	8021	4.60	1149	1.16	0.37
6206	4.55	1138	0.87	0.25	7232	14.12	1500	2.95	0.29	8031	4.20	1063	1.06	0.37
6213	2.77	756	0.57	0.28	7309F	20.11	1500	3.72	0.21	8032	3.59	932	0.93	0.39
6214	2.79	760	0.53	0.25	7313F	8.51	1500	1.57	0.22	8033	3.56	925	0.89	0.37
6216	10.98	1500	2.07	0.25	7317F	17.73	1500	3.25	0.22	8037	4.20	1063	1.10	0.39
6217	8.26	1500	1.70	0.28	7327F	32.00	1500	5.94	0.21	8039	2.70	741	0.70	0.39
6229	8.66	1500	1.77	0.28	7333M	3.83	983	0.74	0.26	8044	6.38	1500	1.52	0.35
6233	4.87	1207	1.01	0.28	7335M	4.25	1074	0.82	0.26	8045	1.46	474	0.38	0.39
6235	10.71	1500	2.05	0.26	7337M	6.97	1500	1.29	0.26	8046	4.35	1095	1.09	0.37
6236	11.52	1500	2.58	0.31	7350F	22.33	1500	4.39	0.24	8047	1.66	517	0.43	0.39
6237	3.71	958	0.86	0.33	7360	6.48	1500	1.44	0.31	8058	5.00	1235	1.25	0.37
6251D	9.03	1500	1.90	0.29	7370	7.69	1500	1.94	0.37	8072	1.41	463	0.36	0.38
6252D	10.46	1500	1.99	0.26	7380	7.94	1500	1.90	0.35	8102	4.82	1196	1.25	0.39
6260	-	-	1.90	0.29	7382	8.28	1500	2.09	0.37	8103	3.68	951	0.87	0.35
6306	7.57	1500	1.56	0.28	7390	10.41	1500	2.63	0.37	8105	-	-	1.21	0.39
6319	9.32	1500	1.91	0.28	7394M	5.29	1297	1.02	0.26	8106	8.43	1500	1.88	0.31
6325	7.34	1500	1.52	0.28	7395M	5.89	1426	1.13	0.26	8107	4.95	1224	1.11	0.31
6400	13.53	1500	3.21	0.35	7398M	7.94	1500	1.46	0.26	8111	3.29	867	0.83	0.37
6503	4.82	1196	1.26	0.39	7402	0.30	225	0.08	0.37	8116	5.00	1235	1.26	0.37
6504	4.75	1181	1.23	0.39	7403	3.81	979	0.86	0.31	8203	11.92	1500	3.01	0.37
6702M*	7.17	1500	1.60	0.31	7405N	1.58	680	0.36	0.32	8204	8.70	1500	1.94	0.31
6703M*	12.24	1500	2.61	0.31	7420	8.83	1500	1.71	0.26	8209	7.81	1500	1.97	0.37
6704M*	7.99	1500	1.78	0.31	7421	1.26	431	0.26	0.29	8215	5.94	1437	1.32	0.31
6801F	5.19	1276	1.08	0.28	7422	2.10	612	0.40	0.26	8227	7.72	1500	1.46	0.25
6811	7.67	1500	1.71	0.31	7425	3.04	814	0.59	0.27	8232	7.52	1500	1.68	0.31
6824F	14.69	1500	2.91	0.24	7431N	1.26	575	0.24	0.26	8233	5.49	1340	1.25	0.32
6826F	8.11	1500	1.68	0.28	7445N	0.84	-	-	-	8235	7.79	1500	1.97	0.37
6834	6.73	1500	1.60	0.35	7453N	0.67	-	-	-	8263	10.46	1500	2.47	0.35
6836	5.29	1297	1.18	0.31	7500	-	-	0.56	0.31	8264	9.67	1500	2.14	0.31
6843F	21.00	1500	3.87	0.21	7502	2.50	698	0.56	0.31	8265	10.41	1500	2.15	0.28
6845F	9.92	1500	1.83	0.22	7515	2.08	607	0.40	0.25	8279	12.88	1500	2.63	0.28
6854	6.21	1495	1.18	0.25	7520	4.97	1229	1.25	0.37	8288	14.62	1500	3.22	0.31

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2020

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8291	6.43	1500	1.53	0.35	8901	0.30	225	0.07	0.35					
8292	5.66	1377	1.43	0.37	9012	2.40	676	0.57	0.35					
8293	14.42	1500	3.22	0.31	9014	4.85	1203	1.23	0.37					
8295	-	-	0.87	0.35	9015	6.33	1500	1.60	0.37					
8304	7.69	1500	1.71	0.31	9016	4.38	1102	1.10	0.37					
8350	10.04	1500	2.08	0.28	9019	3.19	846	0.71	0.31					
8353X	10.16	1500	2.29	0.32	9033	4.03	1026	1.02	0.37					
8380	5.29	1297	1.26	0.35	9040	7.12	1500	1.83	0.39					
8381	3.73	962	0.88	0.35	9052	3.96	1011	1.03	0.39					
8385	4.08	1037	0.91	0.31	9058	2.82	766	0.78	0.41					
8392	3.78	973	0.95	0.37	9060	2.79	760	0.72	0.39					
8393	2.57	713	0.65	0.37	9061	2.35	665	0.65	0.41					
8399	-	-	1.96	0.35	9063	1.81	549	0.47	0.39					
8500	10.14	1500	2.26	0.31	9077F	7.12	1500	1.59	0.35					
8601	0.59	287	0.14	0.35	9082	2.75	751	0.75	0.41					
8602	2.28	650	0.54	0.35	9083	2.79	760	0.77	0.41					
8603	0.17	197	0.04	0.37	9084	2.57	713	0.64	0.37					
8606	5.17	1272	1.07	0.28	9088a	a	a	a	a					
8709F	10.61	1500	1.96	0.21	9089	1.95	579	0.50	0.38					
8719	6.03	1456	1.14	0.25	9093	2.67	734	0.69	0.39					
8720	3.86	990	0.86	0.31	9101	5.04	1244	1.31	0.39					
8721	0.52	272	0.12	0.31	9102	4.67	1164	1.17	0.37					
8723	0.49	265	0.13	0.37	9154	2.52	702	0.63	0.37					
8725	4.67	1164	1.04	0.31	9156	4.28	1080	1.02	0.35					
8726F	6.13	1478	1.27	0.28	9170	16.17	1500	3.05	0.25					
8734M	0.84	341	0.19	0.31	9178	8.78	1500	2.37	0.41					
8737M	0.74	319	0.17	0.31	9179	15.58	1500	4.06	0.39					
8738M	1.26	431	0.27	0.31	9180	8.73	1500	1.92	0.31					
8742	0.62	293	0.14	0.31	9182	2.92	788	0.73	0.37					
8745	6.65	1500	1.59	0.35	9186	25.20	1500	5.13	0.27					
8748	0.99	373	0.23	0.35	9220	8.38	1500	1.99	0.35					
8755	0.87	347	0.19	0.31	9402	11.08	1500	2.46	0.31					
8799	0.89	351	0.23	0.37	9403	11.80	1500	2.44	0.28					
8800	2.99	803	0.83	0.42	9410	3.83	983	0.97	0.37					
8803	0.12	186	0.02	0.31	9501	5.59	1362	1.32	0.35					
8805M	0.37	240	0.10	0.37	9505	7.07	1500	1.68	0.35					
8810	0.27	218	0.07	0.37	9516	8.66	1500	1.93	0.31					
8814M	0.32	229	0.08	0.37	9519	7.42	1500	1.66	0.31					
8815M	0.54	276	0.13	0.37	9521	6.18	1489	1.38	0.31					
8820	0.27	218	0.07	0.35	9522	3.21	850	0.82	0.37					
8824	4.35	1095	1.13	0.39	9534	6.97	1500	1.45	0.28					
8825	-	-	1.19	0.37	9554	19.39	1500	4.02	0.28					
8826	4.72	1175	1.19	0.37	9586	0.94	362	0.26	0.42					
8829	-	-	1.13	0.39	9600	3.86	990	1.00	0.39					
8831	2.70	741	0.67	0.36	9620	2.03	596	0.48	0.35					
8832	0.62	293	0.16	0.37										
8833	2.70	741	0.67	0.37										
8835	4.82	1196	1.23	0.37										
8842	5.19	1276	1.31	0.37										
8855	0.30	225	0.08	0.37										
8856	0.62	293	0.16	0.37										
8864	3.46	904	0.87	0.37										
8868	0.77	326	0.20	0.39										
8869	2.10	612	0.54	0.39										
8871	0.15	192	0.04	0.39										

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2020
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol
0059D	0.40	S	1624D	0.02	S	3365D	0.02	L
0065D	0.07	S	1710D	0.05	S	3647D	0.25	L
0066D	0.07	S	1803D	0.47	S	4024D	0.02	S
0067D	0.07	S	3081D	0.07	S	4470D	0.02	B,L
1164D	0.05	S	3082D	0.10	S	4493D	0.17	B
1165D	0.02	S	3085D	0.12	S	4558D	0.05	L
1430D	0.45	L	3188D	0.02	L	6251D	0.05	S
1438D	0.45	S	3336D	0.07	L	6252D	0.05	S

S=Silica, L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$1.63. (For coverage written separately for federal benefits only, \$1.61. For coverage written separately for state benefits only, \$0.02.)
- 1016 Rate includes a non-ratable disease element of \$4.90. (For coverage written separately for federal benefits only, \$4.80. For coverage written separately for state benefits only, \$0.10.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 1.7 and elr x 1.624.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2020

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with *Basic Manual* footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$69,600
Leased or rented vehicle.....	\$46,400

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with *Basic Manual* Rule 3-A-11..... \$160

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40	Loss Development Factors	
Minimum Premium Factor	0.75	1st Adjustment	0.24
Maximum Premium Factor	1.75	2nd Adjustment	0.19
Loss Conversion Factor	1.19	3rd Adjustment	0.15
Tax Multiplier	1.052	4th Adjustment	0.12

Maximum Weekly Payroll applicable in accordance with *Basic Manual* Rule 2-E-1 -- "Executive Officers" and the *Basic Manual* footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports" and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,600

Minimum Weekly Payroll applicable in accordance with *Basic Manual* Rule 2-E-1 -- "Executive Officers".... \$900

Premium Determination for Partners and Sole Proprietors in accordance with *Basic Manual* Rule 2-E-3 (Annual Payroll)..... \$46,400

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.7%	0.5%	0.5%	0.4%	0.3%	0.2%	0.2%
\$200	1.4%	1.0%	0.9%	0.7%	0.5%	0.4%	0.3%
\$300	1.9%	1.4%	1.3%	1.0%	0.8%	0.5%	0.5%
\$400	2.4%	1.8%	1.7%	1.2%	1.0%	0.7%	0.6%
\$500	2.9%	2.1%	2.0%	1.5%	1.2%	0.8%	0.7%
\$1,000	4.7%	3.5%	3.3%	2.5%	2.0%	1.4%	1.2%
\$1,500	6.0%	4.6%	4.3%	3.3%	2.7%	1.9%	1.7%
\$2,000	7.1%	5.4%	5.2%	4.0%	3.3%	2.4%	2.1%
\$2,500	8.0%	6.1%	5.9%	4.6%	3.8%	2.8%	2.4%

Terrorism (Assigned Risk)..... 0.01

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with *Basic Manual* Rule 3-A-4..... 32%

(Multiply a Non-F classification rate by a factor of 1.32 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.25) and the adjustment for differences in loss-based expenses (1.053).)

Effective March 1, 2020

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk qualifies for experience rating on an intrastate basis when it meets the premium eligibility requirements for the state in which it operates. The eligibility amount varies by rating effective date. The *Experience Rating Plan Manual* should be referenced for the latest approved eligibility amounts by state and by effective date.