

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2014

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	8.03	1500	1.38	0.32	2001	-	-	1.44	0.32	2683	5.48	1418	0.99	0.35
0008	6.84	1500	1.13	0.30	2002	7.77	1500	1.41	0.35	2688	7.09	1500	1.30	0.35
0016	19.05	1500	2.93	0.27	2003	8.25	1500	1.44	0.32	2701	25.41	1500	3.96	0.27
0034	8.79	1500	1.54	0.32	2014	16.16	1500	2.43	0.26	2702	31.54	1500	3.76	0.24
0035	6.90	1500	1.27	0.35	2016	5.62	1448	1.05	0.35	2709	35.13	1500	5.54	0.28
0036	12.72	1500	2.19	0.32	2021	9.04	1500	1.50	0.30	2710	19.19	1500	2.61	0.24
0037	10.74	1500	1.78	0.30	2039	5.68	1461	1.05	0.35	2714	9.55	1500	1.75	0.35
0042	17.27	1500	2.87	0.30	2041	8.17	1500	1.50	0.35	2731	11.25	1500	1.73	0.27
0050	23.96	1500	4.11	0.32	2065	9.50	1500	1.67	0.32	2735	11.45	1500	2.11	0.35
0059D	0.76	-	0.05	0.23	2070	14.78	1500	2.58	0.32	2759	19.50	1500	3.51	0.34
0065D	0.11	-	0.01	0.27	2081	10.17	1500	1.75	0.32	2790	4.35	1175	0.79	0.35
0066D	0.11	-	0.01	0.27	2089	8.11	1500	1.40	0.32	2797	14.81	1500	2.57	0.32
0067D	0.11	-	0.01	0.27	2095	10.71	1500	1.85	0.32	2799	13.45	1500	2.24	0.30
0079	12.24	1500	1.88	0.27	2101X	7.91	1500	1.55	0.37	2802	19.84	1500	3.31	0.30
0083	16.93	1500	2.91	0.32	2105	9.81	1500	1.79	0.35	2804X	10.29	1500	1.97	0.36
0106	42.93	1500	5.82	0.24	2110	6.33	1500	1.16	0.35	2812	-	-	1.78	0.32
0113	10.57	1500	1.83	0.32	2111	5.96	1500	1.08	0.35	2835	7.52	1500	1.46	0.43
0170	17.07	1500	2.91	0.31	2112	8.82	1500	1.61	0.35	2836	13.71	1500	2.83	0.45
0251	10.68	1500	1.86	0.32	2114	4.55	1218	0.84	0.35	2841	8.79	1500	1.62	0.35
0400	30.32	1500	5.05	0.30	2121	4.49	1205	0.78	0.32	2881	7.01	1500	1.36	0.43
0401	23.17	A	3.19	0.24	2130	7.74	1500	1.34	0.32	2883	10.40	1500	1.78	0.32
0766N	0.96	-	-	-	2143	7.88	1500	1.42	0.34	2913	9.78	1500	1.89	0.42
0771N	1.24	-	-	-	2157	15.12	1500	2.67	0.32	2915	7.35	1500	1.22	0.30
0908P	413.00	653	72.55	0.32	2172	4.49	1205	0.77	0.31	2916	13.17	1500	1.89	0.26
0913P	1000.00	1240	175.79	0.32	2174	8.17	1500	1.51	0.35	2923	6.75	1500	1.24	0.35
0917	14.10	1500	2.58	0.35	2177	-	-	0.77	0.31	2942	6.73	1500	1.33	0.43
1005*	29.90	1500	2.51	0.23	2211	18.82	1500	2.88	0.27	2960	9.78	1500	1.72	0.32
1016X*	49.90	1500	3.89	0.23	2220	10.85	1500	1.89	0.32	3004	3.87	1072	0.60	0.27
1164D	13.67	1500	1.60	0.23	2286	6.22	1500	1.16	0.36	3018	5.54	1431	0.87	0.28
1165D	12.01	1500	1.66	0.25	2288	9.83	1500	1.85	0.36	3022	8.59	1500	1.58	0.35
1320	5.26	1371	0.73	0.25	2300	6.44	1500	1.26	0.43	3027	7.18	1500	1.12	0.27
1322	43.58	1500	6.02	0.24	2302	4.61	1231	0.80	0.32	3028	16.48	1500	2.81	0.31
1420X	13.11	1500	2.17	0.29	2305	4.95	1304	0.83	0.30	3030	16.08	1500	2.45	0.27
1430D	19.05	1500	2.73	0.27	2361	5.40	1401	0.94	0.32	3040	13.31	1500	2.08	0.27
1438D	16.34	1500	2.16	0.24	2362	4.24	1152	0.73	0.32	3041	9.16	1500	1.60	0.32
1452	8.03	1500	1.24	0.27	2380	8.20	1500	1.40	0.32	3042	12.86	1500	2.15	0.30
1463	33.46	1500	4.47	0.23	2386	4.38	1182	0.82	0.35	3064	14.30	1500	2.50	0.32
1473X	5.77	1481	0.89	0.27	2388	5.03	1321	0.92	0.35	3069	14.53	1500	2.24	0.27
1474X	6.64	1500	1.11	0.30	2402	10.09	1500	1.57	0.27	3076	8.48	1500	1.55	0.35
1624D	11.05	1500	1.51	0.24	2413	5.37	1395	0.93	0.32	3081D	16.36	1500	2.50	0.27
1642	10.48	1500	1.63	0.27	2416	3.90	1079	0.68	0.32	3082D	9.18	1500	1.42	0.27
1654	19.61	1500	3.07	0.27	2417	4.24	1152	0.74	0.32	3085D	12.16	1500	1.83	0.27
1655	7.63	1500	1.19	0.27	2501	8.96	1500	1.56	0.32	3110	11.13	1500	1.95	0.32
1699	11.28	1500	1.74	0.27	2503	3.33	956	0.61	0.35	3111	9.01	1500	1.57	0.32
1701	10.60	1500	1.64	0.27	2534	8.48	1500	1.51	0.34	3113	8.56	1500	1.47	0.32
1710D	12.09	1500	1.86	0.27	2570	9.78	1500	1.82	0.36	3114	7.15	1500	1.27	0.33
1741D	8.99	1500	0.98	0.23	2585	10.20	1500	1.86	0.35	3117X	4.92	1298	1.00	0.44
1747	8.08	1500	1.28	0.28	2586	6.90	1500	1.20	0.32	3118	5.06	1328	0.93	0.35
1748	10.65	1500	1.62	0.27	2587	14.50	1500	2.69	0.35	3119	3.28	945	0.63	0.43
1803D	19.78	1500	2.61	0.24	2589	6.33	1500	1.10	0.32	3120X	4.38	1182	0.87	0.43
1852D	8.56	1500	0.96	0.22	2600	7.12	1500	1.34	0.36	3122	7.74	1500	1.39	0.34
1853	2.77	836	0.48	0.31	2623	14.86	1500	2.47	0.30	3126	5.82	1491	1.02	0.32
1860	5.28	1375	0.97	0.35	2651	5.06	1328	0.91	0.34	3131	4.30	1165	0.74	0.32
1924	6.81	1500	1.25	0.35	2660	7.07	1500	1.28	0.35	3132	9.33	1500	1.62	0.32
1925	8.53	1500	1.41	0.30	2670	5.06	1328	0.99	0.43	3145	9.13	1500	1.57	0.32

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2014

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3146	8.68	1500	1.51	0.32	3826	4.38	1182	0.78	0.33	4470D	6.70	1500	1.15	0.32
3169	12.21	1500	2.12	0.32	3827	5.45	1412	0.91	0.30	4484	7.43	1500	1.28	0.32
3175D	9.83	1500	1.69	0.32	3830	2.88	859	0.48	0.30	4493D	6.55	1500	1.11	0.32
3179	6.10	1500	1.13	0.35	3851	10.00	1500	1.85	0.35	4511	2.09	689	0.35	0.30
3180	6.95	1500	1.27	0.35	3865	4.61	1231	0.89	0.43	4557	6.02	1500	1.12	0.35
3188D	4.69	1248	0.86	0.35	3881	9.83	1500	1.73	0.32	4558D	4.43	1192	0.76	0.32
3220	6.30	1500	1.11	0.32	4000	14.19	1500	1.97	0.25	4561	-	-	0.94	0.30
3223	8.76	1500	1.66	0.42	4021	10.82	1500	1.70	0.27	4568	13.06	1500	1.99	0.27
3224	8.87	1500	1.65	0.35	4024D	11.17	1500	1.73	0.27	4581	3.65	1025	0.49	0.24
3227	14.64	1500	2.67	0.35	4034	17.97	1500	2.78	0.27	4583	12.21	1500	1.66	0.24
3240	7.55	1500	1.41	0.36	4036	8.05	1500	1.23	0.27	4611	2.66	812	0.48	0.35
3241	10.26	1500	1.77	0.32	4038	6.58	1500	1.27	0.43	4635	6.08	1500	0.70	0.23
3255	5.23	1364	1.02	0.43	4053	9.35	1500	1.59	0.31	4653	5.82	1491	1.06	0.35
3257	18.54	1500	3.15	0.31	4061	13.51	1500	2.52	0.36	4665	22.78	1500	3.53	0.27
3270	7.15	1500	1.25	0.32	4062	5.03	1321	0.88	0.32	4670	14.92	1500	2.30	0.27
3300	10.96	1500	1.90	0.32	4101	11.05	1500	1.80	0.29	4683	7.63	1500	1.32	0.32
3303	7.15	1500	1.32	0.35	4109	2.12	696	0.39	0.35	4686	6.05	1500	0.95	0.28
3307	15.63	1500	2.69	0.32	4110	2.83	848	0.50	0.33	4692	2.12	696	0.38	0.34
3315	17.30	1500	3.15	0.35	4111	12.66	1500	2.39	0.36	4693	3.17	922	0.57	0.33
3334	8.76	1500	1.57	0.33	4112	-	-	0.50	0.33	4703	7.52	1500	1.32	0.32
3336D	8.53	1500	1.30	0.27	4113	4.32	1169	0.76	0.33	4717	6.53	1500	1.25	0.42
3365D	22.05	1500	3.42	0.27	4114	10.51	1500	1.84	0.32	4720	5.48	1418	0.95	0.32
3372	11.64	1500	1.94	0.30	4130	9.66	1500	1.70	0.32	4740	2.29	732	0.35	0.27
3373	16.16	1500	2.77	0.32	4131	8.39	1500	1.55	0.35	4741	5.79	1485	1.02	0.32
3383	3.53	999	0.65	0.35	4133	8.99	1500	1.58	0.34	4751	9.89	1500	1.47	0.26
3385	2.46	769	0.45	0.35	4149	1.89	646	0.37	0.43	4766NX	7.04	1500	0.82	0.23
3400	8.39	1500	1.38	0.30	4150	-	-	0.37	0.43	4771NX	7.01	1500	0.80	0.22
3507	11.30	1500	1.99	0.32	4206	13.73	1500	2.41	0.32	4777	14.64	1500	1.69	0.22
3515	5.99	1500	1.05	0.32	4207	3.84	1066	0.61	0.28	4825	2.09	689	0.32	0.27
3548	5.45	1412	0.96	0.32	4239	6.84	1500	1.08	0.28	4828	3.87	1072	0.65	0.30
3559	5.79	1485	1.00	0.32	4240	6.70	1500	1.22	0.35	4829	2.88	859	0.40	0.25
3574	2.77	836	0.51	0.35	4243	5.23	1364	0.92	0.32	4902	6.95	1500	1.28	0.35
3581	4.78	1268	0.88	0.35	4244	8.20	1500	1.46	0.33	4923	3.87	1072	0.66	0.32
3612	9.35	1500	1.60	0.31	4250	4.04	1109	0.71	0.32	5020	16.56	1500	2.59	0.27
3620	11.16	1500	1.74	0.27	4251	7.04	1500	1.22	0.32	5022	22.81	1500	3.13	0.24
3629	4.63	1235	0.86	0.35	4263	8.31	1500	1.49	0.33	5037	47.31	1500	5.71	0.24
3632	10.29	1500	1.73	0.30	4273	7.43	1500	1.29	0.32	5040	41.85	1500	4.97	0.24
3634	4.95	1304	0.91	0.35	4279	7.69	1500	1.32	0.32	5057	20.57	1500	2.38	0.23
3635	8.36	1500	1.50	0.33	4282	7.09	1500	1.34	0.36	5059	54.20	1500	6.26	0.22
3638	4.24	1152	0.78	0.35	4283	7.35	1500	1.28	0.32	5069	95.24	1500	11.40	0.24
3642	3.50	993	0.61	0.32	4299	5.17	1352	0.96	0.35	5102	14.38	1500	2.00	0.25
3643	6.84	1500	1.19	0.32	4304	9.52	1500	1.57	0.30	5146	12.07	1500	1.90	0.28
3647D	7.55	1500	1.17	0.30	4307	4.92	1298	0.96	0.43	5160	9.07	1500	1.24	0.24
3648	3.39	969	0.63	0.35	4351	2.57	793	0.45	0.32	5183	9.33	1500	1.49	0.28
3681	4.75	1261	0.86	0.35	4352	3.87	1072	0.70	0.35	5188	9.75	1500	1.55	0.28
3685	2.91	866	0.53	0.35	4360	3.19	926	0.59	0.35	5190	8.96	1500	1.40	0.28
3719	5.17	1352	0.61	0.23	4361	5.20	1358	0.95	0.35	5191	3.14	915	0.55	0.32
3724	11.64	1500	1.63	0.25	4362	-	-	0.59	0.35	5192	15.26	1500	2.68	0.32
3726	11.45	1500	1.33	0.23	4410	12.66	1500	2.22	0.32	5213	14.67	1500	2.03	0.25
3803	6.58	1500	1.15	0.32	4420	13.06	1500	1.83	0.25	5215	12.83	1500	2.18	0.31
3807	5.57	1438	1.02	0.35	4431	3.19	926	0.63	0.43	5221	10.37	1500	1.62	0.28
3808	9.95	1500	1.65	0.30	4432	4.55	1218	0.89	0.43	5222	20.77	1500	2.88	0.25
3821	20.29	1500	3.39	0.30	4439	5.65	1455	0.94	0.30	5223	14.13	1500	2.18	0.27
3822X	13.93	1500	2.34	0.30	4452	8.45	1500	1.46	0.32	5348	13.31	1500	2.09	0.28
3824X	15.63	1500	2.59	0.30	4459	8.65	1500	1.49	0.32	5402	12.24	1500	2.25	0.35

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2014

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5403	20.91	1500	2.91	0.25	6824F	27.10	1500	3.89	0.22	7453N	1.30	-	-	-
5437	17.66	1500	2.73	0.27	6826F	11.19	1500	1.76	0.25	7500X	7.15	1500	1.10	0.27
5443	10.23	1500	1.78	0.32	6834	15.43	1500	2.50	0.29	7502	5.68	1461	0.87	0.27
5445	20.04	1500	2.78	0.25	6836	9.61	1500	1.48	0.27	7515	3.19	926	0.38	0.24
5462	21.96	1500	3.47	0.28	6843F	50.22	1500	6.28	0.20	7520	10.09	1500	1.75	0.32
5472	14.61	1500	1.71	0.23	6845F	22.44	1500	2.81	0.20	7538	37.64	1500	4.32	0.22
5473	24.19	1500	2.80	0.23	6854	8.70	1500	1.01	0.23	7539	9.72	1500	1.35	0.25
5474	16.39	1500	2.27	0.24	6872F	26.39	1500	3.31	0.20	7540	11.08	1500	1.27	0.22
5478	15.88	1500	2.54	0.28	6874F	46.83	1500	5.88	0.20	7570X	5.48	1418	0.96	0.31
5479	19.25	1500	3.18	0.30	6882	11.16	1500	1.30	0.23	7580	6.22	1500	0.97	0.27
5480	14.67	1500	2.05	0.25	6884	17.52	1500	2.06	0.23	7590	13.14	1500	2.20	0.30
5491	10.96	1500	1.49	0.24	7016M	5.85	1498	0.70	0.24	7600	9.64	1500	1.51	0.27
5506	13.40	1500	1.55	0.23	7024M	6.50	1500	0.78	0.24	7601	-	-	1.51	0.27
5507	14.78	1500	1.99	0.24	7038M	11.39	1500	1.29	0.22	7605	7.21	1500	1.13	0.28
5508D	29.78	1500	4.73	0.28	7046M	24.81	1500	2.92	0.23	7610	1.61	586	0.27	0.30
5535	17.44	1500	2.74	0.28	7047M	13.28	1500	1.52	0.24	7611	-	-	1.51	0.27
5537	11.87	1500	1.87	0.28	7050M	25.89	1500	2.81	0.22	7612	-	-	1.51	0.27
5551	59.91	1500	6.80	0.22	7090M	12.66	1500	1.44	0.22	7613	-	-	1.51	0.27
5606	3.79	1055	0.53	0.24	7098M	27.55	1500	3.24	0.23	7705	16.65	1500	2.79	0.30
5610	17.95	1500	3.10	0.32	7099M	56.35	1500	6.32	0.23	7710	14.21	1500	1.90	0.23
5645	32.81	1500	4.47	0.24	7133	14.38	1500	1.98	0.24	7711	14.21	1500	1.90	0.23
5651	-	-	4.47	0.24	7151M	17.46	1500	2.41	0.24	7720	10.51	1500	1.62	0.27
5703	44.14	1500	6.89	0.27	7152M	39.71	1500	5.22	0.24	7855	15.15	1500	2.37	0.27
5705	27.02	1500	4.03	0.26	7153M	19.41	1500	2.67	0.24	8001	10.71	1500	1.95	0.35
5951	1.38	537	0.25	0.35	7222	18.85	1500	2.99	0.28	8002	8.53	1500	1.46	0.32
6003	20.57	1500	3.24	0.28	7228	16.48	1500	2.61	0.28	8006	7.46	1500	1.29	0.32
6005	13.25	1500	2.09	0.28	7229	20.60	1500	2.93	0.26	8008	4.27	1158	0.77	0.34
6017	18.74	1500	3.00	0.28	7230	23.20	1500	3.83	0.30	8010	5.28	1375	0.96	0.35
6018	7.69	1500	1.23	0.28	7231	23.00	1500	3.86	0.30	8013	1.38	537	0.24	0.32
6045	9.18	1500	1.49	0.29	7232	16.00	1500	2.25	0.25	8015	2.26	726	0.39	0.32
6204	35.97	1500	4.91	0.24	7309F	39.08	1500	4.92	0.20	8017	4.41	1188	0.80	0.35
6206	18.03	1500	2.01	0.21	7313F	13.28	1500	1.66	0.21	8018	7.77	1500	1.42	0.35
6213	6.58	1500	0.91	0.24	7317F	18.54	1500	2.31	0.21	8021	7.21	1500	1.24	0.32
6214	8.65	1500	1.00	0.23	7327F	48.64	1500	6.13	0.19	8031	8.76	1500	1.50	0.31
6216	17.61	1500	2.07	0.23	7333M	8.45	1500	1.04	0.25	8032	6.53	1500	1.20	0.35
6217	18.88	1500	2.60	0.24	7335M	9.38	1500	1.16	0.25	8033	7.04	1500	1.21	0.32
6229	11.81	1500	1.63	0.24	7337M	19.19	1500	2.26	0.25	8037	4.83	1278	0.88	0.35
6233	12.58	1500	1.79	0.26	7350F	25.12	1500	3.57	0.22	8039	5.14	1345	0.93	0.35
6235	20.46	1500	2.43	0.24	7360	12.72	1500	1.98	0.27	8044	10.15	1500	1.70	0.30
6236	30.41	1500	4.77	0.28	7370	11.30	1500	1.96	0.32	8045	1.78	623	0.33	0.35
6237	5.31	1382	0.83	0.27	7380	13.85	1500	2.33	0.30	8046	6.98	1500	1.20	0.32
6251D	28.57	1500	4.27	0.28	7382	12.72	1500	2.22	0.32	8047	3.98	1096	0.72	0.35
6252D	23.14	1500	2.69	0.23	7390	15.12	1500	2.66	0.32	8058	10.88	1500	1.88	0.32
6260	38.86	1500	5.07	0.27	7394M	12.86	1500	1.56	0.24	8072	2.77	836	0.50	0.34
6306	21.82	1500	2.94	0.24	7395M	14.30	1500	1.74	0.24	8102	6.36	1500	1.14	0.34
6319	14.24	1500	1.98	0.25	7398M	29.25	1500	3.40	0.24	8103	9.10	1500	1.50	0.30
6325	26.88	1500	3.57	0.23	7402	0.62	373	0.11	0.32	8105	13.03	1500	2.42	0.35
6400	17.92	1500	2.99	0.30	7403	5.71	1468	0.88	0.27	8106	12.04	1500	1.88	0.27
6503	6.05	1500	1.11	0.35	7405N	2.37	1023	0.38	0.28	8107	10.85	1500	1.69	0.27
6504	5.91	1500	1.09	0.35	7420	23.46	1500	2.89	0.25	8111	10.54	1500	1.82	0.32
6702M*	18.40	1500	2.88	0.27	7421	3.36	962	0.49	0.27	8116	13.08	1500	2.24	0.31
6703M*	41.82	1500	6.25	0.27	7422	3.62	1018	0.43	0.23	8203	12.72	1500	2.22	0.32
6704M*	20.46	1500	3.21	0.27	7425	8.14	1500	1.02	0.26	8204	11.36	1500	1.74	0.27
6801F	8.20	1500	1.27	0.26	7431N	2.40	1036	0.29	0.24	8209	11.73	1500	2.02	0.32
6811	14.61	1500	2.31	0.28	7445N	1.27	-	-	-	8215	8.85	1500	1.37	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2014

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8227	17.30	1500	1.98	0.22	8833	3.48	988	0.59	0.32					
8232	12.72	1500	1.98	0.27	8835	8.03	1500	1.41	0.32					
8233	10.85	1500	1.71	0.28	8842	8.20	1500	1.41	0.32					
8235	10.09	1500	1.77	0.32	8855	0.62	373	0.11	0.32					
8263	19.90	1500	3.30	0.30	8856	0.62	373	0.11	0.32					
8264	13.40	1500	2.08	0.27	8864	6.05	1500	1.04	0.32					
8265	22.30	1500	2.98	0.23	8868	1.27	513	0.23	0.34					
8279	16.48	1500	2.24	0.24	8869	3.62	1018	0.65	0.34					
8288	26.06	1500	3.89	0.26	8871	0.59	367	0.11	0.35					
8291	8.79	1500	1.46	0.30	8901	0.57	363	0.09	0.30					
8292	11.73	1500	2.02	0.32	9012	4.75	1261	0.78	0.30					
8293	25.52	1500	3.99	0.27	9014	10.23	1500	1.77	0.32					
8295X	6.61	1500	1.15	0.32	9015	12.58	1500	2.16	0.32					
8304	14.78	1500	2.30	0.27	9016	6.02	1500	1.03	0.32					
8350	19.78	1500	2.77	0.25	9019	3.90	1079	0.61	0.28					
8353X	15.03	1500	2.31	0.27	9033	5.48	1418	0.96	0.32					
8380	12.58	1500	2.11	0.30	9040	14.41	1500	2.60	0.34					
8381	10.15	1500	1.65	0.29	9052	6.70	1500	1.23	0.35					
8385	12.63	1500	1.96	0.27	9058	4.66	1242	0.90	0.42					
8392	7.46	1500	1.29	0.32	9059	-	-	0.65	0.34					
8393	6.16	1500	1.08	0.32	9060	4.49	1205	0.82	0.35					
8399X	26.28	1500	4.89	0.34	9061	4.18	1139	0.81	0.42					
8500	28.99	1500	4.36	0.26	9063	3.93	1085	0.70	0.34					
8601	2.06	683	0.34	0.30	9077F	8.96	1500	1.49	0.32					
8602	1.87	642	0.31	0.30	9082	5.26	1371	1.01	0.42					
8603	0.54	356	0.09	0.32	9083	4.04	1109	0.78	0.42					
8606	13.56	1500	1.89	0.25	9084	4.55	1218	0.78	0.32					
8709F	12.52	1500	1.57	0.20	9088a	a	a	a	a					
8719	11.90	1500	1.38	0.23	9089	3.19	926	0.59	0.35					
8720	6.75	1500	1.04	0.27	9093	4.83	1278	0.87	0.34					
8721	1.05	466	0.16	0.27	9101	8.39	1500	1.52	0.35					
8723	0.62	373	0.11	0.32	9102	7.83	1500	1.36	0.32					
8725	8.22	1500	1.24	0.26	9154	4.32	1169	0.75	0.32					
8726F	5.99	1500	0.94	0.26	9156	6.08	1500	1.00	0.30					
8734M	1.78	623	0.28	0.27	9170	16.16	1500	1.90	0.23					
8737M	1.61	586	0.25	0.27	9178	11.16	1500	2.09	0.41					
8738M	3.67	1029	0.55	0.27	9179	80.91	1500	14.96	0.35					
8742	1.33	526	0.21	0.27	9180	12.46	1500	1.89	0.26					
8745	14.02	1500	2.32	0.30	9182	5.71	1468	0.97	0.31					
8748	2.20	713	0.36	0.30	9186	35.30	1500	4.72	0.23					
8755	1.27	513	0.20	0.27	9220	16.11	1500	2.64	0.30					
8799	1.95	659	0.34	0.32	9402	19.41	1500	3.01	0.27					
8800	3.84	1066	0.74	0.42	9403	22.16	1500	3.01	0.24					
8803	0.28	300	0.04	0.26	9410	4.47	1201	0.78	0.32					
8805M	0.85	423	0.14	0.32	9501	8.76	1500	1.45	0.30					
8810	0.62	373	0.11	0.32	9505	10.94	1500	1.80	0.30					
8814M	0.76	403	0.13	0.32	9516	16.31	1500	2.53	0.27					
8815M	1.72	610	0.29	0.32	9519	11.78	1500	1.84	0.27					
8820	0.51	350	0.08	0.30	9521	13.20	1500	2.09	0.28					
8824	9.55	1500	1.74	0.35	9522	7.01	1500	1.23	0.32					
8825	6.47	1500	1.24	0.42	9534	13.62	1500	1.90	0.25					
8826	8.99	1500	1.54	0.32	9554	37.13	1500	5.00	0.23					
8829	9.13	1500	1.59	0.32	9586	2.01	672	0.39	0.43					
8831	4.63	1235	0.79	0.31	9600	6.87	1500	1.27	0.35					
8832	1.13	483	0.19	0.32	9620	3.98	1096	0.65	0.29					

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2014

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol
0059D	0.76	S	1741D	0.51	S	3647D	0.48	L
0065D	0.11	S	1803D	0.76	S	4024D	0.06	S
0066D	0.11	S	1852D	0.17	Asb	4470D	0.03	B,L
0067D	0.11	S	3081D	0.20	S	4493D	0.25	B
1164D	0.11	S	3082D	0.14	S	4558D	0.08	L
1165D	0.06	S	3085D	0.23	S	5508D	0.11	S
1430D	1.30	L	3175D	0.08	S	6251D	0.14	S
1438D	0.71	S	3188D	0.03	L	6252D	0.11	S
1624D	0.06	S	3336D	0.14	L			
1710D	0.08	S	3365D	0.06	L			

S=Silica, Asb=Asbestos, L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$8.54. (For coverage written separately for federal benefits only, \$5.37. For coverage written separately for state benefits only, \$3.17.)
- 1016 Rate includes a non-ratable disease element of \$16.64. (For coverage written separately for federal benefits only, \$10.37. For coverage written separately for state benefits only, \$6.27.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.761 and elr x 2.635.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2014

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$61,500
Leased or rented vehicle.....	\$41,000

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$240

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40
Minimum Premium Factor	0.75
Maximum Premium Factor	1.75
Loss Conversion Factor	1.19
Tax Multiplier	1.065

Loss Development Factors	
1st Adjustment	0.30
2nd Adjustment	0.24
3rd Adjustment	0.22
4th Adjustment	0.14

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports" and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,200

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers"..... \$800

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is:

Maximum surcharge per aircraft.....	\$1,000
Per passenger seat.....	\$100

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3..... \$41,000

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.7%	0.5%	0.4%	0.4%	0.3%	0.2%	0.1%
\$200	1.4%	1.0%	0.9%	0.7%	0.6%	0.4%	0.3%
\$300	2.0%	1.5%	1.2%	1.0%	0.8%	0.6%	0.4%
\$400	2.5%	1.9%	1.6%	1.3%	1.1%	0.7%	0.5%
\$500	3.0%	2.3%	1.9%	1.6%	1.3%	0.9%	0.6%
\$1,000	4.7%	3.7%	3.1%	2.6%	2.2%	1.5%	1.1%
\$1,500	5.8%	4.7%	4.0%	3.3%	2.8%	1.9%	1.4%
\$2,000	6.6%	5.3%	4.6%	3.8%	3.2%	2.3%	1.7%
\$2,500	7.3%	5.9%	5.1%	4.3%	3.6%	2.6%	1.9%

Terrorism (Assigned Risk)..... 0.02

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 112%

(Multiply a Non-F classification rate by a factor of 2.12 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (2.00) and the adjustment for differences in loss-based expenses (1.062).)

Effective March 1, 2014

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$10,000. If more than two years, an average annual premium of at least \$5,000 is required. The ***Experience Rating Plan Manual*** should be referenced for the latest approved eligibility amounts by state.