

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Exhibit V

Page S1

Effective March 1, 2015

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	7.94	1500	1.31	0.35	2001	-	-	1.54	0.35	2683	4.89	1291	0.84	0.38
0008	7.01	1500	1.09	0.32	2002	7.12	1500	1.22	0.38	2688	6.42	1500	1.12	0.39
0016	19.39	1500	2.75	0.29	2003	9.24	1500	1.54	0.35	2701	28.43	1500	4.09	0.30
0034	7.63	1500	1.27	0.35	2014	15.63	1500	2.18	0.29	2702	34.68	1500	4.15	0.26
0035	6.39	1500	1.12	0.39	2016	5.82	1491	1.02	0.39	2709	34.87	1500	5.06	0.30
0036	14.10	1500	2.30	0.34	2021	7.91	1500	1.23	0.32	2710	17.41	1500	2.34	0.26
0037	12.01	1500	1.86	0.32	2039	5.65	1455	0.99	0.39	2714	8.87	1500	1.54	0.39
0042	17.69	1500	2.77	0.32	2041	7.94	1500	1.38	0.39	2731	9.47	1500	1.35	0.29
0050	20.18	1500	3.35	0.35	2065	9.47	1500	1.59	0.35	2735	11.08	1500	1.92	0.39
0059D	0.73	-	0.04	0.26	2070	13.93	1500	2.32	0.35	2759	18.23	1500	3.12	0.38
0065D	0.11	-	0.01	0.30	2081	9.13	1500	1.50	0.35	2790	4.92	1298	0.84	0.38
0066D	0.11	-	0.01	0.29	2089	9.16	1500	1.50	0.35	2797	12.29	1500	2.05	0.35
0067D	0.11	-	0.01	0.30	2095	10.06	1500	1.66	0.35	2799	13.59	1500	2.18	0.33
0079	12.24	1500	1.72	0.29	2101X	7.77	1500	1.43	0.41	2802	20.06	1500	3.14	0.32
0083	16.62	1500	2.72	0.34	2105	10.37	1500	1.79	0.39	2804X	9.92	1500	1.78	0.40
0106	48.07	1500	6.35	0.25	2110	6.08	1500	1.05	0.39	2812	-	-	1.65	0.34
0113	10.85	1500	1.81	0.35	2111	6.73	1500	1.16	0.39	2835	7.35	1500	1.39	0.45
0170	14.02	1500	2.30	0.35	2112	9.95	1500	1.71	0.38	2836	11.39	1500	2.22	0.47
0251	10.29	1500	1.71	0.35	2114	5.12	1341	0.88	0.39	2841	7.88	1500	1.37	0.39
0400	29.31	1500	4.60	0.33	2121	4.10	1122	0.68	0.35	2881	6.70	1500	1.25	0.45
0401	25.38	A	3.39	0.26	2130	7.15	1500	1.19	0.35	2883	10.09	1500	1.65	0.34
0766N	1.07	-	-	-	2143	7.91	1500	1.35	0.38	2913	8.65	1500	1.61	0.44
0771N	1.27	-	-	-	2157	15.66	1500	2.62	0.35	2915	7.15	1500	1.12	0.32
0908P	365.00	605	61.08	0.35	2172	4.24	1152	0.68	0.34	2916	13.25	1500	1.84	0.27
0913P	1060.00	1300	178.22	0.35	2174	8.93	1500	1.55	0.39	2923	6.22	1500	1.07	0.39
0917	13.45	1500	2.33	0.39	2177	-	-	0.68	0.34	2942	6.84	1500	1.29	0.45
1005*	20.15	1500	2.20	0.26	2211	19.78	1500	2.84	0.30	2960	9.69	1500	1.62	0.35
1016X*	39.68	1500	4.13	0.26	2220	9.78	1500	1.63	0.35	3004	3.62	1018	0.52	0.30
1164D	13.05	1500	1.53	0.26	2286	5.37	1395	0.94	0.39	3018	5.20	1358	0.75	0.30
1165D	11.73	1500	1.58	0.26	2288	10.29	1500	1.81	0.40	3022	8.11	1500	1.41	0.39
1320	4.95	1304	0.67	0.26	2300	6.42	1500	1.21	0.45	3027	8.11	1500	1.16	0.30
1322	46.43	1500	6.24	0.26	2302	4.58	1225	0.76	0.35	3028	13.68	1500	2.25	0.35
1420X	12.80	1500	1.94	0.32	2305	4.13	1128	0.66	0.33	3030	14.07	1500	1.99	0.29
1430D	16.81	1500	2.24	0.30	2361	5.54	1431	0.92	0.35	3040	13.00	1500	1.87	0.30
1438D	15.63	1500	2.01	0.26	2362	3.87	1072	0.64	0.35	3041	9.44	1500	1.58	0.35
1452	9.04	1500	1.30	0.30	2380	7.94	1500	1.31	0.35	3042	13.14	1500	2.08	0.33
1463	34.03	1500	4.45	0.25	2386	4.10	1122	0.72	0.39	3064	16.14	1500	2.69	0.35
1473X	4.86	1285	0.69	0.30	2388	4.63	1235	0.80	0.39	3069	-	-	1.36	0.35
1474X	6.70	1500	1.02	0.32	2402	11.11	1500	1.59	0.30	3076	8.22	1500	1.36	0.35
1624D	9.07	1500	1.21	0.26	2413	4.92	1298	0.81	0.35	3081D	15.15	1500	2.14	0.30
1642	8.76	1500	1.25	0.30	2416	4.38	1182	0.72	0.35	3082D	7.63	1500	1.08	0.30
1654	19.41	1500	2.82	0.30	2417	4.13	1128	0.68	0.35	3085D	13.70	1500	1.90	0.29
1655	6.30	1500	0.91	0.30	2501	8.93	1500	1.49	0.35	3110	10.71	1500	1.79	0.35
1699	12.60	1500	1.79	0.29	2503	3.25	939	0.56	0.39	3111	8.96	1500	1.48	0.35
1701	10.06	1500	1.44	0.30	2534	7.12	1500	1.21	0.38	3113	9.55	1500	1.56	0.34
1710D	12.60	1500	1.80	0.30	2570	10.71	1500	1.88	0.39	3114	6.61	1500	1.12	0.36
1741D	7.71	1500	0.85	0.26	2585	11.08	1500	1.91	0.39	3117X	4.97	1309	0.97	0.46
1747	7.80	1500	1.14	0.30	2586	6.70	1500	1.11	0.35	3118	5.31	1382	0.92	0.39
1748	11.59	1500	1.63	0.29	2587	11.90	1500	2.08	0.39	3119	3.08	902	0.58	0.44
1803D	17.98	1500	2.32	0.26	2589	6.64	1500	1.09	0.35	3120X	4.30	1165	0.82	0.45
1852D	8.37	1500	0.95	0.25	2600	7.46	1500	1.32	0.40	3122	6.87	1500	1.17	0.38
1853	2.74	829	0.44	0.33	2623	16.22	1500	2.54	0.32	3126	4.95	1304	0.83	0.35
1860	5.48	1418	0.96	0.39	2651	4.21	1145	0.71	0.38	3131	4.27	1158	0.70	0.35
1924	5.68	1461	0.98	0.39	2660	7.23	1500	1.24	0.38	3132	8.48	1500	1.40	0.35
1925	9.64	1500	1.50	0.32	2670	4.89	1291	0.91	0.45	3145	9.81	1500	1.61	0.35

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Exhibit V

Page S2

Effective March 1, 2015

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3146	8.08	1500	1.33	0.35	3826	4.35	1175	0.73	0.35	4470D	5.63	1450	0.93	0.35
3169	10.15	1500	1.68	0.35	3827	5.96	1500	0.94	0.33	4484	7.63	1500	1.26	0.35
3175D	10.56	1500	1.73	0.35	3830	3.17	922	0.49	0.32	4493D	6.55	1500	1.05	0.35
3179	5.93	1500	1.03	0.39	3851	9.92	1500	1.73	0.39	4511	1.95	659	0.31	0.33
3180	5.79	1485	1.00	0.39	3865	5.20	1358	0.96	0.44	4557	5.99	1500	1.05	0.39
3188D	3.93	1085	0.68	0.39	3881	11.11	1500	1.85	0.35	4558D	4.29	1162	0.70	0.35
3220	6.19	1500	1.03	0.35	4000	14.89	1500	2.01	0.26	4561	-	-	0.87	0.32
3223	8.82	1500	1.62	0.44	4021	9.83	1500	1.42	0.30	4568	13.45	1500	1.88	0.29
3224	9.07	1500	1.61	0.40	4024D	9.33	1500	1.33	0.30	4581	3.05	896	0.41	0.26
3227	12.15	1500	2.10	0.39	4034	18.51	1500	2.66	0.30	4583	12.60	1500	1.67	0.26
3240	8.51	1500	1.50	0.40	4036	7.21	1500	1.02	0.29	4611	2.60	799	0.45	0.39
3241	11.59	1500	1.91	0.35	4038	6.16	1500	1.15	0.45	4635	6.36	1500	0.74	0.25
3255	5.09	1334	0.95	0.45	4053	7.77	1500	1.27	0.34	4653	5.99	1500	1.03	0.38
3257	19.64	1500	3.20	0.34	4061	11.28	1500	1.99	0.40	4665	25.72	1500	3.63	0.29
3270	7.04	1500	1.17	0.35	4062	4.95	1304	0.82	0.35	4670	16.84	1500	2.37	0.29
3300	9.61	1500	1.59	0.35	4101	10.51	1500	1.63	0.32	4683	8.62	1500	1.45	0.35
3303	8.05	1500	1.40	0.39	4109	1.95	659	0.34	0.39	4686	5.20	1358	0.75	0.30
3307	12.97	1500	2.15	0.35	4110	2.60	799	0.44	0.36	4692	1.78	623	0.31	0.38
3315	14.36	1500	2.50	0.39	4111	10.51	1500	1.87	0.40	4693	2.63	805	0.44	0.36
3334	8.28	1500	1.41	0.36	4112	-	-	0.44	0.36	4703	6.25	1500	1.05	0.35
3336D	8.25	1500	1.16	0.30	4113	4.24	1152	0.71	0.36	4717	6.61	1500	1.23	0.44
3365D	20.32	1500	2.93	0.30	4114	8.73	1500	1.46	0.35	4720	5.34	1388	0.89	0.35
3372	10.63	1500	1.67	0.33	4130	9.86	1500	1.65	0.35	4740	2.57	793	0.37	0.29
3373	13.42	1500	2.22	0.35	4131	7.57	1500	1.31	0.39	4741	6.47	1500	1.08	0.35
3383	3.33	956	0.57	0.39	4133	7.74	1500	1.30	0.37	4751	11.16	1500	1.54	0.28
3385	2.20	713	0.39	0.39	4149	1.70	606	0.32	0.45	4766NX	7.94	1500	0.94	0.26
3400	8.73	1500	1.35	0.32	4150	-	-	0.32	0.45	4771NX	7.23	1500	0.83	0.25
3507	11.16	1500	1.86	0.35	4206	11.42	1500	1.90	0.35	4777	14.92	1500	1.74	0.25
3515	5.37	1395	0.89	0.35	4207	4.01	1102	0.58	0.30	4825	2.35	745	0.33	0.30
3548	4.55	1218	0.76	0.35	4239	7.71	1500	1.11	0.30	4828	4.32	1169	0.68	0.33
3559	6.27	1500	1.04	0.35	4240	5.99	1500	1.03	0.39	4829	2.63	805	0.36	0.26
3574	2.60	799	0.45	0.39	4243	4.97	1309	0.83	0.35	4902	6.84	1500	1.18	0.39
3581	4.15	1132	0.72	0.39	4244	8.65	1500	1.47	0.36	4923	3.22	932	0.53	0.35
3612	9.07	1500	1.46	0.33	4250	4.07	1115	0.68	0.35	5020	14.95	1500	2.16	0.30
3620	10.74	1500	1.54	0.30	4251	7.01	1500	1.16	0.35	5022	19.16	1500	2.59	0.26
3629	4.44	1195	0.77	0.39	4263	8.70	1500	1.48	0.36	5037	39.76	1500	4.79	0.27
3632	9.78	1500	1.54	0.33	4273	6.92	1500	1.15	0.35	5040	36.03	1500	4.32	0.26
3634	5.57	1438	0.97	0.39	4279	6.39	1500	1.07	0.35	5057	17.30	1500	2.04	0.26
3635	8.20	1500	1.40	0.36	4282	6.44	1500	1.14	0.40	5059	45.56	1500	5.32	0.25
3638	4.44	1195	0.77	0.39	4283	6.10	1500	1.02	0.35	5069	80.40	1500	9.65	0.26
3642	3.42	975	0.57	0.35	4299	5.37	1395	0.94	0.39	5102	14.95	1500	2.02	0.26
3643	6.67	1500	1.11	0.35	4304	10.37	1500	1.62	0.32	5146	11.76	1500	1.70	0.30
3647D	7.09	1500	1.03	0.32	4307	4.89	1291	0.92	0.45	5160	9.35	1500	1.27	0.27
3648	3.48	988	0.61	0.39	4351	2.52	782	0.42	0.35	5183	8.65	1500	1.26	0.30
3681	4.95	1304	0.85	0.38	4352	3.87	1072	0.67	0.38	5188	9.01	1500	1.31	0.30
3685	2.85	853	0.50	0.39	4360	2.77	836	0.48	0.39	5190	7.55	1500	1.09	0.30
3719	4.35	1175	0.51	0.26	4361	4.89	1291	0.84	0.38	5191	3.02	889	0.50	0.35
3724	12.83	1500	1.74	0.27	4362	-	-	0.48	0.39	5192	14.86	1500	2.50	0.35
3726	9.64	1500	1.14	0.26	4410	14.30	1500	2.37	0.35	5213	14.95	1500	2.02	0.26
3803	6.70	1500	1.13	0.35	4420	11.11	1500	1.52	0.27	5215	12.97	1500	2.07	0.33
3807	5.60	1444	0.98	0.39	4431	3.22	932	0.60	0.45	5221	11.42	1500	1.64	0.30
3808	10.71	1500	1.67	0.32	4432	4.13	1128	0.78	0.45	5222	17.46	1500	2.36	0.26
3821	16.70	1500	2.62	0.32	4439	5.60	1444	0.87	0.32	5223	16.11	1500	2.31	0.30
3822X	13.45	1500	2.12	0.33	4452	7.46	1500	1.23	0.35	5348	13.99	1500	2.02	0.30
3824X	15.37	1500	2.40	0.32	4459	9.47	1500	1.57	0.35	5402	13.11	1500	2.27	0.39

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Exhibit V

Page S3

Effective March 1, 2015

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5403	18.31	1500	2.47	0.26	6824F	23.06	1500	3.19	0.25	7453N	1.13	-	-	-
5437	18.79	1500	2.68	0.30	6826F	12.10	1500	1.74	0.28	7500X	6.56	1500	0.93	0.30
5443	10.80	1500	1.81	0.35	6834	13.25	1500	2.04	0.32	7502	5.54	1431	0.79	0.30
5445	21.25	1500	2.86	0.26	6836	8.36	1500	1.19	0.30	7515	2.97	879	0.35	0.26
5462	23.31	1500	3.38	0.30	6843F	43.83	1500	5.33	0.24	7520	9.75	1500	1.62	0.35
5472	13.25	1500	1.56	0.26	6845F	19.78	1500	2.40	0.24	7538	34.17	1500	3.96	0.25
5473	22.04	1500	2.57	0.25	6854	7.52	1500	0.88	0.26	7539	8.00	1500	1.08	0.26
5474	15.09	1500	2.04	0.26	6872F	22.44	1500	2.74	0.24	7540	10.88	1500	1.26	0.25
5478	17.63	1500	2.60	0.31	6874F	39.82	1500	4.85	0.24	7570X	5.37	1395	0.85	0.34
5479	18.40	1500	2.87	0.32	6882	11.22	1500	1.32	0.26	7580	6.95	1500	0.99	0.30
5480	12.97	1500	1.77	0.27	6884	15.20	1500	1.80	0.26	7590	10.80	1500	1.71	0.33
5491	9.21	1500	1.23	0.26	7016M	5.09	1334	0.61	0.27	7600	10.77	1500	1.54	0.30
5506	13.79	1500	1.62	0.26	7024M	5.65	1455	0.68	0.27	7601	-	-	1.54	0.30
5507	14.24	1500	1.88	0.25	7038M	11.95	1500	1.36	0.25	7605	6.08	1500	0.88	0.30
5508D	29.67	1500	4.34	0.31	7046M	24.25	1500	2.87	0.26	7610	1.44	550	0.23	0.33
5535	18.93	1500	2.73	0.30	7047M	11.16	1500	1.28	0.27	7611	-	-	1.54	0.30
5537	13.51	1500	1.95	0.30	7050M	26.20	1500	2.85	0.25	7612	-	-	1.54	0.30
5551	50.33	1500	5.82	0.25	7090M	13.28	1500	1.51	0.25	7613	-	-	1.54	0.30
5606	4.01	1102	0.54	0.26	7098M	26.93	1500	3.19	0.26	7705	17.44	1500	2.76	0.33
5610	16.65	1500	2.74	0.35	7099M	53.13	1500	6.02	0.26	7710	11.98	1500	1.57	0.25
5645	33.77	1500	4.48	0.26	7133	13.20	1500	1.77	0.26	7711	11.98	1500	1.57	0.25
5651	-	-	4.48	0.26	7151M	16.02	1500	2.15	0.26	7720	10.63	1500	1.51	0.30
5703	38.15	1500	5.51	0.30	7152M	35.16	1500	4.51	0.26	7855	12.75	1500	1.84	0.30
5705	30.41	1500	4.24	0.29	7153M	17.80	1500	2.39	0.26	8001	8.79	1500	1.51	0.39
5951	1.33	526	0.23	0.38	7222	18.03	1500	2.61	0.30	8002	7.32	1500	1.22	0.35
6003	23.40	1500	3.39	0.30	7228	17.07	1500	2.49	0.30	8006	7.86	1500	1.30	0.35
6005	11.98	1500	1.73	0.30	7229	20.06	1500	2.75	0.27	8008	4.10	1122	0.70	0.38
6017	16.53	1500	2.42	0.31	7230	22.33	1500	3.49	0.32	8010	5.34	1388	0.92	0.38
6018	6.87	1500	1.02	0.31	7231	23.26	1500	3.67	0.33	8013	1.53	569	0.25	0.35
6045	10.00	1500	1.48	0.31	7232	17.46	1500	2.38	0.27	8015	2.52	782	0.41	0.35
6204	38.91	1500	5.17	0.26	7309F	35.18	1500	4.29	0.24	8017	4.27	1158	0.74	0.39
6206	15.15	1500	1.74	0.25	7313F	11.30	1500	1.38	0.24	8018	7.32	1500	1.26	0.39
6213	6.10	1500	0.82	0.26	7317F	19.30	1500	2.34	0.25	8021	8.05	1500	1.33	0.35
6214	7.86	1500	0.92	0.26	7327F	41.82	1500	5.13	0.23	8031	8.00	1500	1.31	0.34
6216	16.87	1500	2.01	0.26	7333M	7.09	1500	0.87	0.27	8032	6.36	1500	1.10	0.39
6217	21.34	1500	2.85	0.26	7335M	7.88	1500	0.97	0.27	8033	7.07	1500	1.16	0.34
6229	13.45	1500	1.79	0.26	7337M	15.54	1500	1.83	0.27	8037	4.52	1212	0.78	0.38
6233	10.57	1500	1.46	0.27	7350F	25.43	1500	3.47	0.26	8039	5.60	1444	0.96	0.38
6235	21.59	1500	2.59	0.26	7360	12.72	1500	1.82	0.30	8044	10.20	1500	1.61	0.33
6236	32.36	1500	4.65	0.30	7370	12.41	1500	2.05	0.35	8045	1.61	586	0.28	0.39
6237	5.28	1375	0.76	0.30	7380	13.31	1500	2.12	0.33	8046	7.01	1500	1.15	0.35
6251D	25.29	1500	3.68	0.30	7382	11.30	1500	1.88	0.35	8047	3.65	1025	0.63	0.39
6252D	19.44	1500	2.28	0.26	7390	16.93	1500	2.81	0.35	8058	9.47	1500	1.57	0.35
6260	37.44	1500	4.85	0.29	7394M	10.57	1500	1.28	0.27	8072	2.40	756	0.41	0.38
6306	19.98	1500	2.64	0.26	7395M	11.76	1500	1.42	0.27	8102	7.12	1500	1.20	0.38
6319	13.42	1500	1.81	0.26	7398M	23.20	1500	2.68	0.27	8103	8.28	1500	1.29	0.32
6325	30.63	1500	3.99	0.25	7402	0.59	367	0.10	0.35	8105	11.67	1500	2.04	0.39
6400	17.04	1500	2.68	0.33	7403	4.69	1248	0.67	0.30	8106	12.41	1500	1.77	0.30
6503	5.09	1334	0.88	0.39	7405N	2.32	1005	0.33	0.30	8107	10.26	1500	1.48	0.30
6504	6.47	1500	1.12	0.39	7420	20.40	1500	2.52	0.28	8111	9.38	1500	1.54	0.35
6702M*	15.49	1500	2.24	0.30	7421	2.85	853	0.41	0.28	8116	11.93	1500	1.95	0.34
6703M*	33.94	1500	4.68	0.30	7422	3.56	1005	0.42	0.26	8203	13.00	1500	2.17	0.35
6704M*	17.21	1500	2.49	0.30	7425	8.36	1500	1.05	0.28	8204	9.86	1500	1.40	0.30
6801F	7.35	1500	1.06	0.29	7431N	2.12	939	0.25	0.26	8209	11.08	1500	1.83	0.35
6811	14.33	1500	2.08	0.30	7445N	1.24	-	-	-	8215	7.88	1500	1.13	0.30

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2015

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8227	17.75	1500	2.05	0.25	8833	3.73	1042	0.61	0.34					
8232	11.56	1500	1.66	0.30	8835	8.11	1500	1.36	0.35					
8233	10.03	1500	1.46	0.30	8842	8.76	1500	1.45	0.35					
8235	9.66	1500	1.62	0.35	8855	0.65	380	0.11	0.35					
8263	21.36	1500	3.32	0.32	8856	0.57	363	0.09	0.35					
8264	13.96	1500	1.99	0.30	8864	5.62	1448	0.93	0.35					
8265	23.03	1500	3.03	0.25	8868	1.22	502	0.21	0.38					
8279	16.50	1500	2.19	0.26	8869	3.33	956	0.57	0.38					
8288	29.16	1500	4.01	0.28	8871	0.51	350	0.09	0.39					
8291	9.83	1500	1.54	0.32	8901	0.59	367	0.09	0.33					
8292	10.51	1500	1.73	0.35	9012	5.03	1321	0.78	0.32					
8293	25.01	1500	3.60	0.30	9014	9.30	1500	1.53	0.35					
8295X	6.90	1500	1.15	0.35	9015	11.47	1500	1.89	0.35					
8304	12.86	1500	1.84	0.30	9016	5.43	1407	0.89	0.35					
8350	19.33	1500	2.62	0.26	9019	4.18	1139	0.60	0.30					
8353X	12.41	1500	1.78	0.30	9033	5.51	1425	0.92	0.35					
8380	13.11	1500	2.06	0.33	9040	14.07	1500	2.40	0.38					
8381	9.66	1500	1.49	0.32	9052	6.36	1500	1.10	0.39					
8385	10.37	1500	1.48	0.30	9058	5.03	1321	0.93	0.44					
8392	6.75	1500	1.11	0.35	9059	-	-	0.57	0.38					
8393	6.16	1500	1.03	0.35	9060	4.15	1132	0.72	0.39					
8399X	21.56	1500	3.79	0.37	9061	3.93	1085	0.73	0.44					
8500	25.94	1500	3.63	0.29	9063	3.22	932	0.55	0.38					
8601	1.75	616	0.28	0.32	9077F	8.48	1500	1.36	0.35					
8602	2.06	683	0.33	0.33	9082	4.97	1309	0.92	0.44					
8603	0.45	337	0.08	0.35	9083	3.79	1055	0.70	0.45					
8606	15.18	1500	2.06	0.27	9084	4.52	1212	0.74	0.35					
8709F	10.80	1500	1.32	0.24	9088a	a	a	a	a					
8719	12.83	1500	1.50	0.26	9089	3.56	1005	0.61	0.38					
8720	6.02	1500	0.86	0.30	9093	4.75	1261	0.80	0.38					
8721	1.07	470	0.15	0.29	9101	8.51	1500	1.46	0.38					
8723	0.57	363	0.09	0.35	9102	7.69	1500	1.27	0.35					
8725	7.66	1500	1.07	0.29	9154	4.18	1139	0.69	0.35					
8726F	6.87	1500	0.99	0.29	9156	5.99	1500	0.94	0.32					
8734M	1.67	599	0.24	0.30	9170	18.09	1500	2.13	0.26					
8737M	1.50	563	0.21	0.30	9178	10.85	1500	1.97	0.43					
8738M	3.31	952	0.46	0.30	9179	66.35	1500	11.59	0.39					
8742	1.24	507	0.18	0.30	9180	11.93	1500	1.67	0.29					
8745	14.64	1500	2.29	0.32	9182	5.74	1474	0.94	0.34					
8748	1.98	666	0.31	0.32	9186	31.74	1500	4.16	0.25					
8755	1.36	532	0.19	0.30	9220	17.13	1500	2.66	0.32					
8799	1.67	599	0.28	0.35	9402	18.51	1500	2.65	0.30					
8800	3.82	1061	0.71	0.45	9403	23.74	1500	3.15	0.26					
8803	0.31	307	0.04	0.29	9410	4.35	1175	0.73	0.35					
8805M	0.76	403	0.12	0.35	9501	7.94	1500	1.24	0.32					
8810	0.57	363	0.09	0.35	9505	9.66	1500	1.52	0.33					
8814M	0.68	386	0.11	0.35	9516	16.53	1500	2.38	0.30					
8815M	1.50	563	0.23	0.35	9519	13.20	1500	1.90	0.30					
8820	0.51	350	0.08	0.32	9521	13.34	1500	1.95	0.30					
8824	10.31	1500	1.78	0.39	9522	6.61	1500	1.11	0.35					
8825	7.01	1500	1.30	0.44	9534	12.66	1500	1.71	0.26					
8826	8.59	1500	1.41	0.35	9554	40.19	1500	5.32	0.26					
8829	8.76	1500	1.46	0.35	9586	2.01	672	0.37	0.45					
8831	4.18	1139	0.68	0.34	9600	6.98	1500	1.21	0.39					
8832	1.24	507	0.21	0.35	9620	3.42	975	0.53	0.32					

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2015
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol
0059D	0.73	S	1741D	0.45	S	3647D	0.45	L
0065D	0.11	S	1803D	0.68	S	4024D	0.06	S
0066D	0.11	S	1852D	0.17	Asb	4470D	0.03	B,L
0067D	0.11	S	3081D	0.17	S	4493D	0.25	B
1164D	0.11	S	3082D	0.11	S	4558D	0.08	L
1165D	0.06	S	3085D	0.25	S	5508D	0.11	S
1430D	1.13	L	3175D	0.08	S	6251D	0.11	S
1438D	0.68	S	3188D	0.03	L	6252D	0.08	S
1624D	0.06	S	3336D	0.14	L			
1710D	0.08	S	3365D	0.03	L			

S=Silica, Asb=Asbestos, L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

* Class Codes with Specific Footnotes

- 1005 Rate includes a non-ratable disease element of \$1.61. (For coverage written separately for federal benefits only, \$1.58. For coverage written separately for state benefits only, \$0.03.)
- 1016 Rate includes a non-ratable disease element of \$4.86. (For coverage written separately for federal benefits only, \$4.75. For coverage written separately for state benefits only, \$0.11.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.664 and elr x 2.546.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2015

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$61,900
Leased or rented vehicle.....	\$41,300

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$240

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40
Minimum Premium Factor	0.75
Maximum Premium Factor	1.75
Loss Conversion Factor	1.189
Tax Multiplier	1.065

Loss Development Factors	
1st Adjustment	0.26
2nd Adjustment	0.25
3rd Adjustment	0.20
4th Adjustment	0.16

Maximum Weekly Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports" and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,200

Minimum Weekly Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers".... \$800

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3 (Annual Payroll)..... \$41,300

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.6%	0.5%	0.4%	0.3%	0.3%	0.2%	0.1%
\$200	1.2%	0.9%	0.8%	0.6%	0.5%	0.4%	0.3%
\$300	1.7%	1.3%	1.2%	0.9%	0.7%	0.5%	0.4%
\$400	2.1%	1.7%	1.5%	1.2%	0.9%	0.7%	0.5%
\$500	2.5%	2.0%	1.8%	1.4%	1.1%	0.8%	0.6%
\$1,000	4.0%	3.3%	2.9%	2.4%	1.8%	1.4%	1.0%
\$1,500	5.1%	4.2%	3.8%	3.1%	2.4%	1.9%	1.4%
\$2,000	6.0%	5.0%	4.5%	3.7%	2.9%	2.3%	1.7%
\$2,500	6.8%	5.7%	5.1%	4.2%	3.3%	2.7%	2.0%

Terrorism (Assigned Risk)..... 0.02

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 111%

(Multiply a Non-F classification rate by a factor of 2.11 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (2.00) and the adjustment for differences in loss-based expenses (1.053).)

Effective March 1, 2015

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$10,000. If more than two years, an average annual premium of at least \$5,000 is required. The *Experience Rating Plan Manual* should be referenced for the latest approved eligibility amounts by state.