

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2019

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	5.40	1321	1.17	0.37	1925	7.45	1500	1.52	0.34	2688	5.40	1321	1.22	0.40
0008	5.65	1375	1.15	0.34	2002	5.16	1269	1.16	0.39	2701	21.55	1500	4.05	0.31
0016	12.40	1500	2.31	0.31	2003	7.64	1500	1.65	0.37	2702	23.28	1500	3.58	0.25
0034	6.43	1500	1.39	0.37	2014	8.97	1500	1.68	0.31	2709	26.28	1500	4.94	0.31
0035	4.05	1031	0.92	0.40	2016	5.13	1263	1.17	0.40	2710	13.51	1500	2.36	0.27
0036	10.94	1500	2.36	0.37	2021	4.27	1078	0.87	0.34	2714	8.10	1500	1.83	0.40
0037	9.18	1500	1.87	0.34	2039	5.51	1345	1.25	0.40	2731	6.81	1500	1.27	0.31
0042	12.48	1500	2.54	0.34	2041	4.92	1218	1.11	0.40	2735	6.67	1500	1.51	0.39
0050	11.40	1500	2.47	0.37	2065	5.59	1362	1.21	0.37	2759	9.99	1500	2.26	0.40
0059D	0.46	-	0.04	0.31	2070	10.05	1500	2.17	0.37	2790	3.78	973	0.85	0.39
0065D	0.08	-	0.01	0.31	2081	5.19	1276	1.12	0.37	2797	8.72	1500	1.88	0.37
0066D	0.08	-	0.01	0.31	2089	6.91	1500	1.49	0.37	2799	12.26	1500	2.50	0.34
0067D	0.08	-	0.01	0.31	2095	5.97	1444	1.29	0.37	2802	10.29	1500	2.10	0.34
0079	7.54	1500	1.40	0.31	2101	-	-	1.29	0.37	2804	-	-	1.14	0.43
0083	10.61	1500	2.30	0.37	2105	6.48	1500	1.46	0.39	2835	4.81	1194	1.17	0.43
0106	22.80	1500	3.97	0.27	2110	3.92	1003	0.88	0.40	2836	5.24	1287	1.29	0.43
0113	7.97	1500	1.72	0.37	2111	6.75	1500	1.52	0.39	2841	5.27	1293	1.19	0.40
0170	6.27	1500	1.35	0.37	2112	7.48	1500	1.69	0.39	2881	4.67	1164	1.14	0.43
0251	6.37	1500	1.38	0.37	2114	5.00	1235	1.13	0.39	2883	6.02	1454	1.30	0.37
0400	-	-	0.82	0.34	2121	2.30	655	0.50	0.37	2913	-	-	1.30	0.37
0401	23.98	A	4.18	0.27	2130	3.75	966	0.81	0.37	2915	7.43	1500	1.51	0.34
0766N	0.92	-	-	-	2143	4.94	1222	1.12	0.40	2916	7.81	1500	1.36	0.27
0771N	0.84	-	-	-	2157	8.64	1500	1.88	0.37	2923	3.94	1007	0.89	0.40
0908P	294.00	454	63.88	0.37	2172	2.43	682	0.50	0.34	2942	-	-	0.56	0.43
0913P	943.00	1103	205.64	0.37	2174	4.97	1229	1.12	0.40	2960	8.64	1500	1.88	0.37
0917	9.05	1500	2.04	0.40	2211	15.88	1500	2.98	0.31	3004	2.19	631	0.41	0.31
1005*	10.62	1500	1.36	0.25	2220	3.92	1003	0.85	0.37	3018	4.40	1106	0.82	0.31
1016X*	25.31	1500	3.08	0.25	2286	3.11	829	0.70	0.40	3022	5.94	1437	1.35	0.40
1164D	7.10	1500	1.08	0.25	2288	5.48	1338	1.24	0.40	3027	4.59	1147	0.86	0.31
1165D	5.51	1345	0.96	0.27	2300	-	-	1.18	0.37	3028	5.86	1420	1.27	0.37
1320	2.89	781	0.50	0.27	2302	4.29	1082	0.93	0.37	3030	7.56	1500	1.41	0.31
1322	24.85	1500	4.34	0.27	2305	3.46	904	0.71	0.34	3040	10.16	1500	1.90	0.31
1420	-	-	1.09	0.27	2361	4.19	1061	0.90	0.37	3041	7.27	1500	1.57	0.37
1430D	8.02	1500	1.40	0.31	2362	3.00	805	0.65	0.37	3042	6.62	1500	1.35	0.34
1438D	11.88	1500	1.98	0.27	2380	3.86	990	0.84	0.37	3064	7.56	1500	1.64	0.37
1452	4.94	1222	0.93	0.31	2386	-	-	1.18	0.37	3069	-	-	1.14	0.37
1463	15.99	1500	2.79	0.27	2388	2.76	753	0.62	0.40	3076	5.29	1297	1.14	0.37
1472	4.13	1048	0.73	0.28	2402	5.40	1321	1.01	0.31	3081D	6.35	1500	1.17	0.31
1473X	1.92	573	0.36	0.31	2413	3.54	921	0.77	0.37	3082D	7.05	1500	1.29	0.31
1474	-	-	0.73	0.28	2416	3.08	822	0.67	0.37	3085D	7.62	1500	1.39	0.31
1624D	6.24	1500	1.09	0.27	2417	2.19	631	0.47	0.37	3110	6.91	1500	1.50	0.37
1642	3.43	897	0.64	0.31	2501	5.48	1338	1.18	0.37	3111	4.59	1147	0.99	0.37
1654	8.56	1500	1.62	0.31	2503	2.43	682	0.55	0.40	3113	3.97	1014	0.86	0.37
1655	-	-	0.64	0.31	2534X	5.37	1315	1.22	0.39	3114	4.59	1147	0.99	0.37
1699	10.29	1500	1.92	0.31	2570	5.73	1392	1.30	0.40	3117	-	-	0.92	0.40
1701	5.46	1334	1.02	0.31	2585	6.91	1500	1.57	0.40	3118	4.08	1037	0.92	0.40
1710D	7.80	1500	1.45	0.31	2586	4.35	1095	0.94	0.37	3119	1.54	491	0.38	0.43
1741	-	-	1.02	0.31	2587	4.73	1177	1.07	0.40	3120	-	-	0.96	0.37
1747	4.51	1130	0.85	0.31	2589	5.59	1362	1.20	0.37	3122	3.59	932	0.81	0.40
1748	9.21	1500	1.71	0.30	2600	6.94	1500	1.58	0.40	3126	2.32	659	0.50	0.37
1803D	14.05	1500	2.35	0.27	2623	13.05	1500	2.66	0.34	3131	3.19	846	0.69	0.37
1852	-	-	0.62	0.24	2651	2.65	730	0.60	0.39	3132	5.92	1433	1.27	0.37
1853	-	-	1.02	0.31	2660	3.94	1007	0.89	0.40	3145	4.97	1229	1.07	0.37
1860	-	-	0.91	0.37	2670	3.30	870	0.80	0.43	3146	4.62	1153	0.99	0.37
1924	3.19	846	0.73	0.40	2683	3.81	979	0.85	0.39	3169	4.48	1123	0.97	0.37

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2019

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3175	-	-	0.97	0.37	3830	1.65	515	0.34	0.34	4558D	2.64	728	0.56	0.37
3179	3.35	880	0.76	0.40	3851	4.35	1095	0.99	0.40	4568	10.24	1500	1.90	0.30
3180	3.86	990	0.88	0.40	3865	4.11	1044	0.99	0.42	4581	1.62	508	0.28	0.26
3188D	4.03	1026	0.90	0.40	3881	7.75	1500	1.67	0.37	4583	8.27	1500	1.45	0.27
3220	2.94	792	0.64	0.37	4000	8.45	1500	1.48	0.27	4611	1.94	577	0.44	0.40
3223	-	-	0.88	0.40	4021	7.56	1500	1.41	0.31	4635	4.62	1153	0.71	0.25
3224	5.24	1287	1.19	0.40	4024D	6.19	1491	1.16	0.31	4653	2.51	700	0.57	0.40
3227	5.51	1345	1.25	0.40	4034	11.13	1500	2.08	0.31	4665	12.99	1500	2.44	0.31
3240	5.13	1263	1.17	0.40	4036	3.94	1007	0.74	0.31	4670	11.78	1500	2.19	0.31
3241	7.56	1500	1.62	0.37	4038	4.81	1194	1.18	0.43	4683	6.83	1500	1.49	0.37
3255	3.48	908	0.85	0.43	4053	-	-	0.87	0.37	4686	3.51	915	0.66	0.31
3257	8.64	1500	1.87	0.37	4061	-	-	0.87	0.37	4692	1.03	381	0.23	0.40
3270	4.46	1119	0.96	0.37	4062	4.00	1020	0.87	0.37	4693	1.70	526	0.37	0.37
3300	6.43	1500	1.38	0.37	4101	4.08	1037	0.83	0.34	4703	3.19	846	0.69	0.37
3303	4.67	1164	1.05	0.39	4109	0.81	334	0.18	0.40	4717	3.35	880	0.82	0.43
3307	6.00	1450	1.30	0.37	4110	1.30	440	0.28	0.37	4720	4.24	1072	0.92	0.37
3315	6.64	1500	1.51	0.40	4111	2.62	723	0.59	0.40	4740	1.84	556	0.34	0.31
3334	4.00	1020	0.87	0.37	4113	-	-	0.59	0.40	4741	5.27	1293	1.14	0.37
3336D	4.37	1100	0.81	0.31	4114	4.59	1147	1.00	0.37	4751	4.92	1218	0.91	0.31
3365D	13.64	1500	2.56	0.31	4130	7.10	1500	1.53	0.37	4766NX	6.64	1500	1.02	0.25
3372	6.81	1500	1.39	0.34	4131	7.18	1500	1.62	0.39	4771NX	4.67	1345	0.71	0.24
3373	6.81	1500	1.48	0.37	4133	4.16	1054	0.93	0.39	4777	7.08	1500	1.08	0.24
3383	2.76	753	0.62	0.40	4149	1.19	416	0.29	0.43	4825	1.86	560	0.35	0.31
3385	1.38	457	0.31	0.40	4206	5.29	1297	1.15	0.37	4828	3.08	822	0.63	0.34
3400	5.62	1368	1.14	0.34	4207	2.92	788	0.55	0.31	4829	1.51	485	0.27	0.27
3507	5.67	1379	1.23	0.37	4239	3.81	979	0.72	0.31	4902	4.48	1123	1.01	0.40
3515	4.48	1123	0.97	0.37	4240	4.94	1222	1.11	0.40	4923	1.35	450	0.29	0.37
3548	1.81	549	0.39	0.37	4243	3.62	938	0.78	0.37	5020	11.94	1500	2.24	0.31
3559	4.24	1072	0.91	0.37	4244	4.40	1106	0.95	0.37	5022	14.21	1500	2.49	0.27
3574	1.78	543	0.40	0.40	4250	2.76	753	0.59	0.37	5037	28.28	1500	4.35	0.25
3581	1.76	538	0.39	0.40	4251	4.46	1119	0.97	0.37	5040	14.96	1500	2.30	0.25
3612	4.40	1106	0.90	0.34	4263	5.32	1304	1.15	0.37	5057	6.48	1500	0.99	0.25
3620	5.35	1310	1.00	0.31	4273	3.94	1007	0.85	0.37	5059	44.11	1500	6.71	0.24
3629	2.76	753	0.62	0.40	4279	4.16	1054	0.91	0.37	5069	-	-	6.71	0.24
3632	4.94	1222	1.01	0.34	4282	-	-	0.91	0.37	5102	10.26	1500	1.79	0.27
3634	3.48	908	0.79	0.40	4283	2.62	723	0.57	0.37	5146	8.59	1500	1.61	0.31
3635	4.94	1222	1.07	0.37	4299	3.16	839	0.72	0.40	5160	4.65	1160	0.82	0.27
3638	3.24	857	0.73	0.40	4304	7.29	1500	1.48	0.34	5183	5.73	1392	1.08	0.31
3642	2.19	631	0.47	0.37	4307	3.11	829	0.76	0.43	5188	7.27	1500	1.37	0.31
3643	3.94	1007	0.85	0.37	4351	1.49	480	0.32	0.37	5190	5.78	1403	1.08	0.31
3647D	4.24	1072	0.81	0.34	4352	2.94	792	0.66	0.39	5191	1.73	532	0.38	0.37
3648	3.00	805	0.68	0.40	4360	1.70	526	0.39	0.40	5192	7.16	1500	1.55	0.37
3681	2.13	618	0.48	0.40	4361	2.21	635	0.50	0.40	5213	11.78	1500	2.06	0.27
3685	1.81	549	0.41	0.40	4410	6.83	1500	1.48	0.37	5215	10.21	1500	2.09	0.34
3719	2.40	676	0.37	0.25	4420	6.73	1500	1.18	0.27	5221	8.48	1500	1.59	0.31
3724	6.10	1472	1.07	0.27	4431	2.51	700	0.61	0.43	5222	14.86	1500	2.61	0.27
3726	6.08	1467	0.93	0.25	4432	2.30	655	0.56	0.43	5223	15.58	1500	2.91	0.31
3803	3.21	850	0.70	0.37	4439	-	-	0.56	0.37	5348	7.89	1500	1.48	0.31
3807	4.65	1160	1.05	0.40	4452	5.24	1287	1.13	0.37	5402	8.62	1500	1.94	0.39
3808	8.59	1500	1.76	0.34	4459	5.97	1444	1.29	0.37	5403	11.80	1500	2.06	0.27
3821	15.56	1500	3.17	0.34	4470D	4.89	1211	1.05	0.37	5437	10.64	1500	2.00	0.31
3822	6.02	1454	1.22	0.34	4484	5.48	1338	1.18	0.37	5443	12.02	1500	2.62	0.37
3824	9.56	1500	1.94	0.34	4493D	5.13	1263	1.07	0.37	5445	15.64	1500	2.73	0.27
3826	3.24	857	0.70	0.37	4511	1.32	444	0.27	0.34	5462	12.07	1500	2.27	0.31
3827	4.27	1078	0.87	0.34	4557	4.43	1112	0.99	0.39	5472	10.94	1500	1.68	0.25

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2019

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5473	15.45	1500	2.36	0.25	6872F	19.64	1500	3.01	0.21	7538	14.40	1500	2.20	0.24
5474	9.75	1500	1.71	0.27	6874F	32.33	1500	4.93	0.22	7539	3.19	846	0.56	0.27
5478	12.69	1500	2.38	0.31	6882	6.16	1484	0.94	0.25	7540	4.51	1130	0.68	0.24
5479	11.86	1500	2.42	0.34	6884	7.10	1500	1.09	0.25	7570	-	-	0.56	0.27
5480	10.21	1500	1.80	0.27	7016M	3.48	908	0.54	0.25	7580	5.43	1327	1.01	0.31
5491	4.86	1205	0.86	0.27	7024M	3.86	990	0.60	0.25	7590	5.08	1252	1.04	0.34
5506	11.02	1500	1.68	0.25	7038M	10.59	1500	1.59	0.23	7600	9.05	1500	1.70	0.31
5507	7.67	1500	1.34	0.27	7046M	16.02	1500	2.45	0.25	7605	3.94	1007	0.74	0.31
5508D	14.55	1500	2.74	0.31	7047M	7.13	1500	1.06	0.25	7610	1.00	375	0.20	0.34
5535	15.69	1500	2.93	0.31	7050M	21.72	1500	3.14	0.23	7705	11.75	1500	2.40	0.34
5537	8.99	1500	1.69	0.31	7090M	11.78	1500	1.77	0.23	7710	5.54	1351	0.97	0.27
5551	36.79	1500	5.59	0.24	7098M	17.80	1500	2.73	0.25	7711	5.54	1351	0.97	0.27
5606	2.46	689	0.43	0.27	7099M	32.82	1500	4.84	0.25	7720	6.73	1500	1.25	0.31
5610	12.48	1500	2.71	0.37	7133	5.51	1345	0.96	0.27	7855	6.62	1500	1.24	0.31
5645	27.28	1500	4.74	0.26	7151M	6.70	1500	1.17	0.27	8001	4.54	1136	1.03	0.40
5703	22.23	1500	4.14	0.31	7152M	13.72	1500	2.30	0.27	8002	4.29	1082	0.92	0.37
5705	29.20	1500	5.43	0.31	7153M	7.43	1500	1.30	0.27	8006	4.54	1136	0.98	0.37
5951	0.65	300	0.15	0.39	7219	13.15	1500	2.32	0.27	8008	2.54	706	0.57	0.39
6003	13.18	1500	2.48	0.31	7222	18.91	1500	3.51	0.30	8010	3.62	938	0.82	0.39
6005	7.62	1500	1.43	0.31	7225	10.61	1500	2.00	0.31	8013	0.84	341	0.18	0.37
6017	-	-	2.06	0.27	7228	-	-	2.32	0.27	8015	1.78	543	0.39	0.37
6018	3.59	932	0.68	0.32	7229	-	-	2.32	0.27	8017	3.13	833	0.71	0.39
6045	8.35	1500	1.58	0.31	7230	14.13	1500	2.89	0.34	8018	4.70	1171	1.06	0.40
6204	17.02	1500	2.98	0.27	7231	14.45	1500	2.96	0.34	8021	5.10	1257	1.10	0.37
6206	5.29	1297	0.81	0.25	7232	13.91	1500	2.46	0.28	8031	4.48	1123	0.97	0.37
6213	3.51	915	0.62	0.27	7309F	22.28	1500	3.42	0.21	8032	4.02	1024	0.91	0.40
6214	3.35	880	0.51	0.24	7313F	9.43	1500	1.44	0.21	8033	4.24	1072	0.91	0.37
6216	12.02	1500	1.84	0.25	7317F	21.20	1500	3.22	0.22	8037	4.94	1222	1.13	0.40
6217	10.94	1500	1.91	0.27	7327F	35.63	1500	5.48	0.21	8039	3.16	839	0.71	0.39
6229	11.48	1500	1.99	0.26	7333M	4.59	1147	0.71	0.26	8044	7.35	1500	1.50	0.34
6233	5.08	1252	0.89	0.27	7335M	5.10	1257	0.79	0.26	8045	1.62	508	0.37	0.40
6235	13.18	1500	2.03	0.25	7337M	9.40	1500	1.40	0.26	8046	4.83	1198	1.04	0.37
6236	13.94	1500	2.62	0.31	7350F	27.63	1500	4.73	0.23	8047	1.86	560	0.42	0.40
6237	3.75	966	0.72	0.32	7360	8.08	1500	1.51	0.31	8058	5.16	1269	1.11	0.37
6251D	11.45	1500	2.04	0.28	7370	9.32	1500	2.01	0.37	8072	1.57	498	0.35	0.39
6252D	12.20	1500	1.87	0.25	7380	9.02	1500	1.85	0.34	8102	6.05	1461	1.36	0.39
6260	-	-	2.04	0.28	7382	8.89	1500	1.92	0.37	8103	4.05	1031	0.82	0.34
6306	8.97	1500	1.57	0.27	7390	13.07	1500	2.83	0.37	8105	-	-	1.06	0.40
6319	11.16	1500	1.94	0.26	7394M	5.24	1287	0.81	0.26	8106	9.10	1500	1.70	0.31
6325	9.26	1500	1.63	0.27	7395M	5.81	1409	0.90	0.26	8107	5.70	1386	1.07	0.31
6400	15.69	1500	3.19	0.34	7398M	10.70	1500	1.60	0.26	8111	3.86	990	0.84	0.37
6503	5.48	1338	1.24	0.40	7402	0.30	225	0.07	0.37	8116	5.27	1293	1.14	0.37
6504	5.19	1276	1.17	0.40	7403	3.75	966	0.70	0.31	8203	12.96	1500	2.80	0.37
6702M*	8.05	1500	1.51	0.31	7405N	1.81	758	0.34	0.31	8204	9.29	1500	1.74	0.31
6703M*	16.48	1500	2.97	0.31	7420	9.97	1500	1.54	0.26	8209	7.89	1500	1.70	0.37
6704M*	8.94	1500	1.68	0.31	7421	1.40	461	0.25	0.28	8215	6.24	1500	1.17	0.31
6801F	5.65	1375	1.01	0.28	7422	2.21	635	0.34	0.25	8227	8.45	1500	1.29	0.24
6811	8.89	1500	1.66	0.31	7425	3.70	956	0.58	0.26	8232	8.32	1500	1.56	0.31
6824F	18.45	1500	3.18	0.22	7431N	1.35	607	0.21	0.26	8233	7.00	1500	1.33	0.32
6826F	9.43	1500	1.68	0.28	7445N	0.97	-	-	-	8235	8.27	1500	1.79	0.37
6834	8.62	1500	1.76	0.34	7453N	0.73	-	-	-	8263	11.83	1500	2.40	0.34
6836	5.92	1433	1.10	0.31	7500	-	-	0.57	0.31	8264	10.45	1500	1.95	0.31
6843F	24.61	1500	3.76	0.21	7502	3.05	816	0.57	0.31	8265	13.69	1500	2.39	0.27
6845F	11.59	1500	1.77	0.21	7515	2.62	723	0.40	0.25	8279	14.34	1500	2.49	0.26
6854	6.97	1500	1.07	0.25	7520	6.19	1491	1.34	0.37	8288	17.53	1500	3.25	0.30

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

ALABAMA

Effective March 1, 2019

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8291	7.43	1500	1.52	0.34	8901	0.35	235	0.07	0.34					
8292	6.29	1500	1.36	0.37	9012	2.67	734	0.54	0.34					
8293	16.96	1500	3.18	0.31	9014	5.35	1310	1.16	0.37					
8295	-	-	0.82	0.34	9015	7.27	1500	1.57	0.37					
8304	7.70	1500	1.44	0.31	9016	4.62	1153	0.99	0.37					
8350	10.97	1500	1.93	0.27	9019	3.16	839	0.59	0.31					
8353X	11.34	1500	2.14	0.31	9033	4.29	1082	0.93	0.37					
8380	6.83	1500	1.39	0.34	9040	8.27	1500	1.85	0.39					
8381	4.16	1054	0.84	0.34	9052	4.21	1065	0.95	0.40					
8385	4.73	1177	0.89	0.31	9058	3.11	829	0.76	0.43					
8392	3.94	1007	0.85	0.37	9060	3.11	829	0.70	0.39					
8393	2.86	775	0.62	0.37	9061	2.57	713	0.63	0.43					
8399	-	-	1.94	0.34	9063	2.03	596	0.45	0.39					
8500	11.51	1500	2.15	0.31	9077F	7.94	1500	1.56	0.35					
8601	0.68	306	0.14	0.34	9082	3.03	811	0.74	0.43					
8602	2.21	635	0.45	0.34	9083	2.86	775	0.70	0.43					
8603	0.19	201	0.04	0.37	9084	2.94	792	0.63	0.37					
8606	6.51	1500	1.14	0.27	9088a	a	a	a	a					
8709F	10.67	1500	1.63	0.21	9089	2.19	631	0.49	0.39					
8719	7.51	1500	1.14	0.24	9093	3.00	805	0.67	0.39					
8720	3.92	1003	0.73	0.31	9101	5.21	1280	1.17	0.39					
8721	0.57	283	0.11	0.31	9102	5.16	1269	1.11	0.37					
8723	0.57	283	0.12	0.37	9154	2.62	723	0.56	0.37					
8725	4.97	1229	0.93	0.31	9156	4.19	1061	0.85	0.34					
8726F	7.51	1500	1.34	0.28	9170	19.07	1500	2.91	0.24					
8734M	0.92	358	0.17	0.31	9178	9.80	1500	2.36	0.42					
8737M	0.81	334	0.15	0.31	9179	20.55	1500	4.65	0.40					
8738M	1.67	519	0.29	0.31	9180	9.59	1500	1.78	0.30					
8742	0.68	306	0.12	0.31	9182	3.19	846	0.68	0.37					
8745	8.40	1500	1.72	0.34	9186	27.96	1500	4.82	0.26					
8748	1.11	399	0.23	0.34	9220	10.24	1500	2.09	0.34					
8755	0.97	369	0.18	0.30	9402	12.48	1500	2.33	0.31					
8799	1.05	386	0.23	0.37	9403	13.91	1500	2.43	0.27					
8800	3.27	863	0.80	0.43	9410	4.02	1024	0.87	0.37					
8803	0.14	190	0.02	0.31	9501	6.51	1500	1.33	0.34					
8805M	0.41	248	0.09	0.37	9505	8.29	1500	1.69	0.34					
8810	0.30	225	0.07	0.37	9516	11.26	1500	2.12	0.31					
8814M	0.35	235	0.08	0.37	9519	9.05	1500	1.70	0.31					
8815M	0.73	317	0.17	0.37	9521	6.43	1500	1.20	0.31					
8820	0.30	225	0.06	0.34	9522	3.51	915	0.76	0.37					
8824	6.35	1500	1.43	0.39	9534	7.13	1500	1.25	0.27					
8825	5.19	1276	1.12	0.37	9554	22.01	1500	3.87	0.27					
8826	5.19	1276	1.12	0.37	9586	1.05	386	0.26	0.43					
8829	4.54	1136	0.98	0.37	9600	4.24	1072	0.96	0.40					
8831	2.92	788	0.62	0.37	9620	1.97	584	0.40	0.34					
8832	0.73	317	0.16	0.37										
8833	3.03	811	0.65	0.37										
8835	5.56	1355	1.21	0.37										
8842	5.70	1386	1.23	0.37										
8855	0.32	229	0.07	0.37										
8856	0.59	287	0.13	0.37										
8864	3.92	1003	0.84	0.37										
8868	0.78	328	0.18	0.39										
8869	2.24	642	0.50	0.39										
8871	0.16	194	0.03	0.40										

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2019
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol
0059D	0.46	S	1710D	0.05	S	4024D	0.03	S
0065D	0.08	S	1803D	0.54	S	4470D	0.03	B,L
0066D	0.08	S	3081D	0.08	S	4493D	0.19	B
0067D	0.08	S	3082D	0.11	S	4558D	0.05	L
1164D	0.05	S	3085D	0.14	S	5508D	0.05	S
1165D	0.03	S	3188D	0.03	L	6251D	0.05	S
1430D	0.54	L	3336D	0.08	L	6252D	0.05	S
1438D	0.51	S	3365D	0.03	L			
1624D	0.03	S	3647D	0.27	L			

S=Silica L=Lead, B=Benzol

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$1.79. (For coverage written separately for federal benefits only, \$1.76. For coverage written separately for state benefits only, \$0.03.)
- 1016 Rate includes a non-ratable disease element of \$5.35. (For coverage written separately for federal benefits only, \$5.24. For coverage written separately for state benefits only, \$0.11.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.488 and elr x 2.394.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2019

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$67,500
Leased or rented vehicle.....	\$45,000

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$160

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40	Loss Development Factors	
Minimum Premium Factor	0.75	1st Adjustment	0.26
Maximum Premium Factor	1.75	2nd Adjustment	0.20
Loss Conversion Factor	1.192	3rd Adjustment	0.16
Tax Multiplier	1.052	4th Adjustment	0.13

Maximum Weekly Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports" and Code 9179 -- "Athletic Sports or Park: Contact Sports"..... \$3,500

Minimum Weekly Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers".... \$850

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3 (Annual Payroll)..... \$45,000

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.7%	0.5%	0.4%	0.3%	0.2%	0.2%	0.1%
\$200	1.3%	0.9%	0.9%	0.6%	0.5%	0.4%	0.3%
\$300	1.8%	1.3%	1.2%	0.9%	0.7%	0.5%	0.4%
\$400	2.3%	1.7%	1.6%	1.2%	0.9%	0.7%	0.5%
\$500	2.8%	2.0%	1.9%	1.4%	1.1%	0.8%	0.6%
\$1,000	4.5%	3.4%	3.1%	2.4%	1.9%	1.4%	1.1%
\$1,500	5.8%	4.4%	4.0%	3.2%	2.5%	1.9%	1.5%
\$2,000	6.8%	5.2%	4.8%	3.8%	3.0%	2.3%	1.8%
\$2,500	7.7%	5.8%	5.5%	4.3%	3.4%	2.7%	2.1%

Terrorism (Assigned Risk)..... 0.01

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 109%

(Multiply a Non-F classification rate by a factor of 2.09 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.99) and the adjustment for differences in loss-based expenses (1.05).)

Effective March 1, 2019

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk qualifies for experience rating on an intrastate basis when it meets the premium eligibility requirements for the state in which it operates. The eligibility amount varies by rating effective date. The *Experience Rating Plan Manual* should be referenced for the latest approved eligibility amounts by state and by effective date.